Author Index to Volume 70

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor, and those with (T) designate title only.

Abelson, P. H., A. V. Masket, and Nathan Rosen. Possibility of observing a transverse Doppler effect—227(L)

Agnew, H. M. (see Manley, J. H.)—602

——, **W. C. Bright, and D. K. Froman.** Distribution of neutrons in the atmosphere—102(A)

Akeley, E. S. (see Haxby, R. O.)—797(A)

Aldrich, L. T. and Alfred O. Nier. Abundance of He^3 in atmospheric and well helium—983(L)

Alford, J. S. Physics of jet propulsion—989(T)

Allessandrini, E. I. Oxide films on chromium—575(T)

Almy, G. M. (see Skaggs, L. S.)—95(L)

Alvarez, Luis W. Design of a linear accelerator for protons—784(T)

—— Design of a proton linear accelerator—799(A)

Amaldi, E., D. Bocciarelli, and G. C. Trabacchi. Diffraction phenomena in angular distribution of fast neutrons scattered by Pb-nuclei—103(A)

Anderson, C. B. Cosmic-ray effects at high altitudes—788(A)

Anderson, Herbert L., Enrico Fermi, and Leona Marshall. Production of low energy neutrons by filtering through graphite—102(A), 815

Anderson, L. J., C. H. Freres, J. P. Day, and A. P. D. Stokes. Attenuation of 1.24-centimeter radiation through rain—449(A)

Argo, Harold, Arthur Hemmendinger, Howard Kratz, Rolland Perry, Rubby Sherr, Richard Taschek, and Dudley Williams. Reaction constants of Li^7 (pn) Be^7—102(A)

Arley, Niels. Note on the proton hypothesis of the primary component of cosmic rays—975(L)

Armstrong, E. J. Application of the Barrett technique to some problems concerning non-metallic crystals—575(T)

Arnold, Wayne R. and Arthur Roberts. Magnetic moments of the neutron and the deuteron—766(L)

Autler, Stanley H. (see Becker, Gordon E.)—300

Badger, A. E. (see Collin, R. L.)—437(L)

—— (see Graaff, W. A.)—220(L)

Bailey, C. L., William E. Bennett, T. Bergstralh, Richard G. Nuckolls, H. T. Richards, and J. H. Williams. Neutron-proton and neutron-carbon scattering cross sections for fast neutrons—118(A)

Bailey, Carl L. (see Nuckolls, Richard G.)—805

——, **William E. Bennett, T. Bergstralh, Richard G. Nuckolls, Hugh T. Richards, and John H. Williams.** Neutron-proton and neutron-carbon scattering cross sections for fast neutrons—583

Baldwin, G. C. (see Klaiber, G. S.)—789(A)

—— **and G. Stanley Klaiber.** Multiple nuclear disintegration induced by 100-Mev x-rays—259

Banos, Alfredo, Jr. Application of the dynamical theory of currents to cavity resonators—448(A)

Bardeen, J., W. H. Brittain, and W. Shockley. Investigation of oxidation of copper by use of radioactive Cu tracer—105(A)

Barker, Edgar C. Thick target yields with deuteron-proton reactions—101(A)

Barschall, H. H. (see Coon, J. H.)—104(A), 592

—— (see Manley, J. H.)—602

—— **and M. E. Battat.** On the disintegration of nitrogen by fast neutrons—245

——, **M. E. Battat, and W. C. Bright.** Scattering of fast neutrons by boron—458

Barss, W. M. (see Yeariaq, H. J.)—108(A)

—— **and H. J. Yearian.** Electron diffraction study of CCl_3NO_2—108(A)

Battat, M. E. (see Barschall, H. H.)—245, 458

Baum, W. A., F. S. Johnson, J. J. Oberly, C. C. Rockwood, C. V. Strain, and R. Tousey. Solar ultraviolet spectrum to 88 kilometers—781(L)

Becker, Gordon E. and Stanley H. Autler. Water vapor absorption of electromagnetic radiation in the centimeter wave-length range—300

Beers, Yardley. (see Roberts, Arthur)—112(A)

Belenky, S. (see Tamm, I.)—660

Benade, J. M. (see Lewis, Lloyd G.)—792(A)

Bendigo, C. W. Tricot—802(T)

Benedetto, F. A. Some mesotron observations by simultaneous registration at two stations—817

Bennett, W. E., T. W. Bonner, C. E. Mandeville, and B. E. Watt. Resonances in the disintegration of flourine by protons—882

——, **C. E. Mandeville, and H. T. Richards.** Yield function and angular distribution of the D+D neutrons—101(A)

—— **and H. T. Richards.** Neutrons from C^{12}+D—118(A)

Bennett, William E. (see Bailey, C. L.)—118(A)

—— (see Bailey, Carl L.)—583

—— (see Nuckolls, Richard G.)—805

Benzer, S. Photo-diode and photo-peak characteristics in germanium—105(A)

Bergmann, Peter G. Propagation of radiation in a medium with random inhomogeneities—486

Bergstralh, T. (see Bailey, C. L.)—118(A)

Bergstralh, Thor (see Bailey, Carl L.)—583

—— (see Nuckolls, Richard G.)—805

Beringer, Robert. Absorption of one-half centimeter electromagnetic waves in oxygen—53

—— (see Dicke, Robert H.)—340

Berlin, T. (see Dennison, D. M.)—764

—— (see Dennison, David M.)—58

Bernstein, S. On the existence of a resonance absorption of neutrons in graphite—107(A)

—— (see Sawyer, R. B.)—791(A)

Berry, Clifford E. (see Washburn, Harold W.)—559(L)

Author Index to Volume 70

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor, and those with (T) designate title only.

Abelson, P. H., A. V. Masket, and Nathan Rosen. Possibility of observing a transverse Doppler effect—227(L)

Agnew, H. M. (see Manley, J. H.)—602

——, **W. C. Bright, and D. K. Froman.** Distribution of neutrons in the atmosphere—102(A)

Akeley, E. S. (see Haxby, R. O.)—797(A)

Aldrich, L. T. and Alfred O. Nier. Abundance of He^3 in atmospheric and well helium—983(L)

Alford, J. S. Physics of jet propulsion—989(T)

Allessandrini, E. I. Oxide films on chromium—575(T)

Almy, G. M. (see Skaggs, L. S.)—95(L)

Alvarez, Luis W. Design of a linear accelerator for protons—784(T)

—— Design of a proton linear accelerator—799(A)

Amaldi, E., D. Bocciarelli, and G. C. Trabacchi. Diffraction phenomena in angular distribution of fast neutrons scattered by Pb-nuclei—103(A)

Anderson, C. B. Cosmic-ray effects at high altitudes—788(A)

Anderson, Herbert L., Enrico Fermi, and Leona Marshall. Production of low energy neutrons by filtering through graphite—102(A), 815

Anderson, L. J., C. H. Freres, J. P. Day, and A. P. D. Stokes. Attenuation of 1.24-centimeter radiation through rain—449(A)

Argo, Harold, Arthur Hemmendinger, Howard Kratz, Rolland Perry, Rubby Sherr, Richard Taschek, and Dudley Williams. Reaction constants of Li^7 (pn) Be^7—102(A)

Arley, Niels. Note on the proton hypothesis of the primary component of cosmic rays—975(L)

Armstrong, E. J. Application of the Barrett technique to some problems concerning non-metallic crystals—575(T)

Arnold, Wayne R. and Arthur Roberts. Magnetic moments of the neutron and the deuteron—766(L)

Autler, Stanley H. (see Becker, Gordon E.)—300

Badger, A. E. (see Collin, R. L.)—437(L)

—— (see Graaff, W. A.)—220(L)

Bailey, C. L., William E. Bennett, T. Bergstralh, Richard G. Nuckolls, H. T. Richards, and J. H. Williams. Neutron-proton and neutron-carbon scattering cross sections for fast neutrons—118(A)

Bailey, Carl L. (see Nuckolls, Richard G.)—805

——, **William E. Bennett, T. Bergstralh, Richard G. Nuckolls, Hugh T. Richards, and John H. Williams.** Neutron-proton and neutron-carbon scattering cross sections for fast neutrons—583

Baldwin, G. C. (see Klaiber, G. S.)—789(A)

—— **and G. Stanley Klaiber.** Multiple nuclear disintegration induced by 100-Mev x-rays—259

Banos, Alfredo, Jr. Application of the dynamical theory of currents to cavity resonators—448(A)

Bardeen, J., W. H. Brittain, and W. Shockley. Investigation of oxidation of copper by use of radioactive Cu tracer—105(A)

Barker, Edgar C. Thick target yields with deuteron-proton reactions—101(A)

Barschall, H. H. (see Coon, J. H.)—104(A), 592

—— (see Manley, J. H.)—602

—— **and M. E. Battat.** On the disintegration of nitrogen by fast neutrons—245

——, **M. E. Battat, and W. C. Bright.** Scattering of fast neutrons by boron—458

Barss, W. M. (see Yeariaq, H. J.)—108(A)

—— **and H. J. Yearian.** Electron diffraction study of CCl_3NO_2—108(A)

Battat, M. E. (see Barschall, H. H.)—245, 458

Baum, W. A., F. S. Johnson, J. J. Oberly, C. C. Rockwood, C. V. Strain, and R. Tousey. Solar ultraviolet spectrum to 88 kilometers—781(L)

Becker, Gordon E. and Stanley H. Autler. Water vapor absorption of electromagnetic radiation in the centimeter wave-length range—300

Beers, Yardley. (see Roberts, Arthur)—112(A)

Belenky, S. (see Tamm, I.)—660

Benade, J. M. (see Lewis, Lloyd G.)—792(A)

Bendigo, C. W. Tricot—802(T)

Benedetto, F. A. Some mesotron observations by simultaneous registration at two stations—817

Bennett, W. E., T. W. Bonner, C. E. Mandeville, and B. E. Watt. Resonances in the disintegration of flourine by protons—882

——, **C. E. Mandeville, and H. T. Richards.** Yield function and angular distribution of the D+D neutrons—101(A)

—— **and H. T. Richards.** Neutrons from C^{12}+D—118(A)

Bennett, William E. (see Bailey, C. L.)—118(A)

—— (see Bailey, Carl L.)—583

—— (see Nuckolls, Richard G.)—805

Benzer, S. Photo-diode and photo-peak characteristics in germanium—105(A)

Bergmann, Peter G. Propagation of radiation in a medium with random inhomogeneities—486

Bergstralh, T. (see Bailey, C. L.)—118(A)

Bergstralh, Thor (see Bailey, Carl L.)—583

—— (see Nuckolls, Richard G.)—805

Beringer, Robert. Absorption of one-half centimeter electromagnetic waves in oxygen—53

—— (see Dicke, Robert H.)—340

Berlin, T. (see Dennison, D. M.)—764

—— (see Dennison, David M.)—58

Bernstein, S. On the existence of a resonance absorption of neutrons in graphite—107(A)

—— (see Sawyer, R. B.)—791(A)

Berry, Clifford E. (see Washburn, Harold W.)—559(L)

Best, Nolan R., Eric Durand, Donald I. Gale, and Ralph J. Havens. Pressure and temperature measurements in the upper atmosphere—985(L)
Bethe, H. A. Multiple production of mesons by protons—787(A)
—— Multiple scattering and the mass of the meson—821
—— (see Courant, E. D.)—798(A)
—— (see Feynman, R. P.)—786(A)
—— (see Oppenheimer, J. R.)—796(A)
—— **and J. Robert Oppenheimer.** Reaction of radiation on electron scattering and Heitler's theory of radiation damping—451
Bhabha, H. J. On the expansibility of solutions in powers of the interaction constants—759
—— Relativistic wave equations—794(A)
Bittencourt, P. T. (see Burson, S. B.)—566(L)
—— **and M. Goldhaber.** "Two-step" isomeric transition in Te^{121}—780(L)
Bitter, F., J. B. Garrison, J. Halpern, E. Maxwell, J. C. Slater, and C. F. Squire. Superconductivity of lead at 3-cm wave-length—97(L)
Blachman, Nelson M. System of microstresses in cold-worked metal—698
Blandford, Josephine M. (see Schiefer, Herbert F.)—803(A)
Bleaney, B. and R. P. Penrose. Inversion spectrum of ammonia—775(L)
Blewett, J. P. Transition from betatron to synchrotron operation—798(A)
—— (see Pollock, H. D.)—798(A)
——, **D. A. Wilbur, and L. D. Roberts.** Split anode magnetrons for the 100–800 megacycle range—118(A)
Bloch, F. Nuclear induction—460
——, **R. I. Condit, and H. Staub.** Neutron polarization and ferromagnetic saturation—972
——, **W. W. Hansen and M. Packard.** Nuclear induction experiment—474
Bloembergen, N. (see Purcell, E. M.)—986(L), 988(L)
Bloomenthal, S. Instrument lubricant having a low hardy coefficient—104(A)
Bocciarelli, D. (see Amaldi, E.)—103(A)
Bohm, D. Excitation of plasma oscillations—448(A)
—— (see Foldy, Leslie)—445(A)
—— **and L. Foldy.** Theory of the synchrotron—249
Bohm, David. Relations of Dirac's new method of field quantization to older theories—795(A)
Bol, K. (see Marton, L.)—447(A)
Bonner, T. W. (see Bennett, W. E.)—882
Boorse, H. A., D. B. Cook, R. B. Pontius, and M. W. Zemansky. Electrical conductivity of rapidly frozen solutions of sodium in liquid ammonia—92(L)
Booth, A. D. Fourier methods and machines in England 1940–1946—575(T)
Borst, L. B. and J. J. Floyd. Fissionability studies—107(A)
——, **A. J. Ulrich, C. L. Osborne, and B. Hasbrouck.** Diffraction of neutrons and neutron absorption spectra—108(A)
——, **A. J. Ulrich, C. L. Osborne, and B. Hasbrouck.** Neutron diffraction and nuclear resonance structure—557(L)
Boyd, G. E. (see Swartout, J. A.)—232(L)
Bozorth, R. M. Magneto-resistance and domain theory—106(A)
—— Magneto-resistance and domain theory of iron-nickel alloys—923
Brattain, W. H. (see Bardeen, J.)—105(A)
Breazeale, Francis B. Apparatus for determining the coefficient of friction of running yarn—803(A)
Breit, Gregory. Theory of nuclear reactions—100(T)
Bridgman, P. W. On higher order transitions—425
Bright, W. C. (see Agnew, H. M.)—102(A)
—— (see Barschall, H. H.)—458
—— (see Manley, J. H.)—602
Brillouin, L. Influence of space charge on the bunching of electron beams—187
Brode, R. B. (see Fretter, W. B.)—791(A)
Brody, S. B. (see Nierenberg, W. A.)—773(L)
Brosi, A. R. (see Conn, E. E.)—768(L)
Brown, F. W. III (see Pierce, A. K.)—779(L)
Brown, James B. and D. K. C. MacDonald. On the possible use of Brownian motion for low temperature thermometry—976(L)
Broxon, James W. Recurrence phenomena in small cosmic-ray bursts—494
Buechner, W. W. (see Van de Graaff, R. J.)—797(A)
—— **and R. J. Van de Graaff.** Calorimetric experiment on the radiation losses of 2-Mev electrons—174
Buerger, M. J. Derivative crystal structures—575(T)
—— Interpretation of Harker syntheses—575(T).
——, **G. Klein, and G. Hamburger.** Structure of nepheline—575(T)
deBretteville, A., Jr. Oscillographic study of the dielectric properties of barium titanate—575(T)
Burgess, J. S. (see Koller, L. R.)—571(L)
Burgy, Merle, L. A. Pardue, H. B. Willard, and E. O. Wollan. Energy of delayed neutrons from U^{235} fissions—104(A)
Burrill, E. A. (see Van de Graaff, R. J.)—797(A)
Burson, S. B., P. T. Bittencourt, R. B. Duffield, and M. Goldhaber. Decay scheme for Te^{121}—566(L)

Cameron, A. E. (see Conn, E. E.)—768(L)
—— (see Swartout, J. A.)—232(L)
Carmichael, H. and C. N. Chou. Cosmic-ray bursts in a large and in a small ion chamber at sea level and in a small ion chamber under 30 meters of clay—792(A)
Carter, R. L. (see Conn, E. E.)—768(L)
Chamberlain, Owen, Dudley Williams, and Philip Yuster. Half-life of uranium (234)—580
Chandrasekhar, S. Continuous absorption coefficient of the negative hydrogen ion—109(A)
Chang, W. Y. Low energy alpha-particles from radium—632
Cheng, K. C. (see Wang, K. C.)—516
Chesley, F. G. Design and construction of an electron diffraction camera and its application to the selenium rectifier problem—575(T)
Chou, C. N. (see Carmichael, H.)—792(A)
Christy, R. R. Small enriched reactor at Los Alamos—100(T)

Cisney, E. (see Parrish, W.)—575(T)
Clark, Arnold F. Magnetic field due to dee structures in a synchrotron—444(A)
Clark, J. S., I. A. Getting, and J. E. Thomas, Jr. New method for displaying the electron beam in a synchrotron—562(L)
Clarke, E. T. and John W. Irvine, Jr. Experimental yields with 14-Mev deuterons—893
Cobine, J. D. (see Gallagher, C. J.)—113(A)
—— **and C. J. Gallagher.** High level electronic noise source—119(A)
—— **and C. J. Gallagher.** Noise and oscillations in hot-cathode arcs—113(A)
Cocconi, G., A. Loverdo, and V. Tongiorgi. Density spectrum of the extensive cosmic-ray showers of the air—841
——, **A. Loverdo, and V. Tongiorgi.** Experimental and theoretical evaluation of the density spectrum of extensive cosmic-ray showers—846
——, **A. Loverdo, and V. Tongiorgi.** Penetrating particles in air showers—852
—— **and V. Tongiorgi.** Mean lifetime of the meson—855
—— **and V. Tongiorgi.** On the fine structure of zenithal curves of the cosmic radiation—850
Cocconi, Giuseppe. Density spectrum and the origin of extensive atmospheric cosmic-ray showers—975(L)
Coggeshall, Norman D. Paths of ions and electrons in non-uniform crossed electric and magnetic fields—270
Colby, M. Y. and R. N. Little, Jr. Possible results of a new reaction—437(L)
Coles, D. K. (see Dakin, T. W.)—560(L)
—— **and William E. Good.** Stark and Zeeman effects in the inversion spectrum of ammonia—979(L)
Collin, R. L. and A. E. Badger. Solarization of manganese-bearing glass at higher temperatures—437(L)
Collins, S. C. Helium cryostat—98(L)
Compton, A. H. Physics research and release of nuclear energy—100(T)
Condit, R. I. (see Bloch, F.)—972
Conn, E. E., A. R. Brosi, J. A. Swartout, A. E. Cameron, R. L. Carter, and Douglas G. Hill. Confirmation of assignment of 2.6 *h* Ni to a mass number of 65—768(L)
Conversi, M. and O. Piccioni. On the disintegration of slow mesons—874
—— **and O. Piccioni.** On the mean life of slow mesons—859
Cook, C. S., E. Jurney, and L. M. Langer. On the disintegration scheme of Na^{24}—985(L)
Cook, D. B. (see Boorse, H. A.)—92(L)
Coon, J. H. (see Graves, A. C.)—101(A)
—— (see Manley, J. H.)—101(A), 602
—— **and H. H. Barschall.** Angular distribution of 2.5-Mev neutrons scattered by deuterium—592
——, **R. W. Davis, and H. H. Barschall.** Angular distribution of *n-d* scattering for 2.5-Mev neutrons—104(A)
Corben, H. C. Special relativistic field theories in five dimensions—947
Cork, J. M. Relative probability of the (d,p) and the (d,n) reactions in bombarded bismuth—563(L)
Corson, E. M. Second quantization and representation theory—728
—— Theory of the fine structure of x-ray absorption limits in polyatomic molecules—645
Courant, E. D. and H. A. Bethe. Theoretical considerations on bringing the beam out of a betatron—798(A)
Crane, H. R. Racetrack—800(A)
Critchfield, Charles L. Electron waves in the magnetic dipole field of a neutron—793(A)
Cross, Paul C. (see Hainer, R. M.)—108(A)
Cummerow, Robert L. and David Halliday. Paramagnetic losses in two manganous salts—433(L)
Curtiss, L. F. (see Miller, L. C.)—983(L)

Dailey, E. P., R. L. Kyhl, M. W. P. Strandberg, J. H. Van Vleck, and E. B. Wilson, Jr. Hyperfine structure of the microwave spectrum of ammonia and the existence of a quadrupole moment in N^{14}—984(L)
Dakin, T. W., W. E. Good, and D. K. Coles. Resolution of a rotational line of the OCS molecule and its stark effect—560(L)
Dancoff, S. M. Short range alphas in natural radioactivity—116(A)
Daniels, Farrington. Problems and plans of nucleonics research—100(T)
Darrow, Karl K. Local secretaryship for the Pacific coast—446(A)
Daunt, J. G., M. Désirant, and K. Mendelssohn. Conductivity of sodium-ammonia solutions—219(L)
Davidson, H. S. Optical tools in the color pigment industry—989(T)
Davidson, N. and J. Hillier. Single crystal electron diffraction by microcrystalline materials—575(T)
Davis, R. W. (see Coon, J. H.)—104(A)
Davisson, J. W. Orientation of electrical breakdown paths in single crystals—685
Day, J. P. (see Anderson, L. J.)—449(A)
Dearnley, I. H. (see Margenau, H.)—349
DeBennedetti, S. and F. K. McGowan. Metastable state of 22 microseconds in Ta^{181}—569(L)
Demers, Pierre. New photographic emulsions showing improved tracks of ionizing particles—86(L)
—— Pairs of fission fragments from U^{235}—974(L)
Dempster, A. J. (see Lapp, R. E.)—104(A)
Dennison, D. M. (see Hadley, Lawrence N.)—780(L)
—— **and T. Berlin.** Racetrack stability—764
Dennison, David M. and T. H. Berlin. Stability of synchrotron orbits—58
De Oyarzabal, J. (see Vallarta, M. S.)—785(A)
Désirant, M. (see Daunt, J. G.)—219(L)
D'Eustachio, D. Note on thickness of quartz wafers for observed surface phenomena—229(L)
—— Surface layers and mosaic structure in some valence crystals—575(T)
—— Surface layers on quartz and topaz—522
Dicke, Robert H., Robert Beringer, Robert L. Kyhl, and A. B. Vane. Atmospheric absorption measurements with a microwave radiometer—340
Dickey, Fred P. and Harald H. Nielsen. Infra-red spectrum of heavy water—109(A)
Duffield, R. B. (see Burson, S. B.)—566(L)
Dunning, J. R. Neutron spectroscopy—100(T)
—— (see Reid, Allen F.)—431(L)
Durand, Eric (see Best, Nolan R.)—985(L)

Eggen, D. T. and M. L. Pool. X-radiation and internal conversion from Ru+d—446(A)
Ehrenhaft, Felix. Rotational movements of matter in the homogeneous fields of magnets or of radiation—119(A)
—— Unipolar magnetic charges—114(A)
Ekstein, H. Forced vibrations of piezoelectric crystals—76
—— Force on a conducting tube moving through a magnetic field—450(A)
Elder, F. R. (see Pollock, H. D.)—798(A)
Eliezer, C. Jayaratnam. On the theory of the electron—793(A)
Elsasser, Walter M. Electric quadrupole of the earth—438(L)
—— Induction effects in terrestrial magnetism. Part II. Secular variation—202
Ellickson, R. T. and W. L. Parker. Decay in brightness of infra-red sensitive phosphors—290
Engle, A. Wendell (see Fearon, R. E.)—564(L)
Epstein, Paul S. On the elastic properties of lattices—915
Evans, W. E., Jr. (see Manning, L. A.)—767(L)

Fairbank, Henry (see Lane, C. T.)—431(L)
Fairbank, William (see Lane, C. T.)—431(L)
Fankuchen, I. (see Schneider, M.)—575(T)
Fano, U. On the theory of ionization yield of radiations in different substances—44
Fearon, R. E. (see Scherbatskoy, S. A.)—96(L)
——, **A. Wendell Engle, Jean Thayer, Gilbert Swift, and Irving Johnson.** Results of atmosphere analyses done at Tulsa, Oklahoma, during the period neighboring the time of the second Bikini atomic bomb test—564(L)
Feather, N. Probability of excitation of the nucleus^{206} Pb in the α-disintegration of polonium—88(L)
Fein, Elihu. Comparison of the stopping power of lead and aluminum for cosmic-ray mesotrons—567(L)
Feenberg, E. and G. Goertzel. Theory of nuclear coulomb energy—597
—— **and N. Primakoff.** Possibility of "conditional" saturation in nuclei—980(L)
Feenberg, Eugene. Representation of single particle operators in two-particle form—768(L)
Feld, Bernard T. Nuclear electric quadrupole moment and the radiofrequency spectra of homonuclear diatomic molecules—112(A)
—— Proposed neutron spectrometer in the 10–100 kev range—429(L)
Fermi, E. Elementary pile theory—100(T)
—— (see Anderson, Herbert L.)—102(A), 815
—— **and L. Marshall.** Phase of neutron scattering—103(A)
—— **and W. N. Zinn.** Reflection of neutrons on mirrors—103(A)
Feynman, R. P. and H. A. Bethe. Attempt of an analysis of some cosmic-ray phenomena—786(A)
Floyd, J. J. (see Borst, L. B.)—107(A)
Foldy, L. (see Bohm, D.)—249
—— **and D. Bohm.** Efficiency of frequency modulated cyclotron—445(A)
Forbush, Scott E. Three unusual cosmic-ray increases possibly due to charged particles from the sun—771(L)
Fox, Francis E., Karl F. Herzfeld, and George D. Rock. Effect of ultrasonic waves on the conductivity of salt solutions—329
—— **and George D. Rock.** Compressional viscosity and sound absorption in water at different temperatures—68
Franck, J. V. (see Helmholz, A. C.)—448(A)
Franck, James. Proposal of a method for the separation of He^3 from He^4—561(L)
Frank, N. H. Stability of electron orbits in the synchrotron—177
Freres, C. H. (see Anderson, L. J.)—449(A)
Fretter, W. B. Range-momentum relationship for cosmic-ray mesotrons—444(A)
—— **and R. B. Brode.** Mass of cosmic-ray mesotrons—791(A)
—— **and W. E. Hazen.** Successive multiple production of penetrating particles—230(L)
Fretter, William B. Mass of cosmic-ray mesotrons—625
Friedlander, G., M. Perlman, and L. Pepkowitz. Radiochemical search for gamma-meson reactions induced by 100-Mev x-rays—790(A)
Frisch, D. H. (see McKibben, J. L.)—117(A)
Frisch, David H. Total cross section of hydrogen for neutrons of energies from 35 to 490 kev—792(A)
—— Total cross sections of carbon and hydrogen for neutrons of energies from 35 to 490 kev—589
Froman, D. K. (see Agnew, H. M.)—102(A)
Fryer, Edward M. Transmission of velocity-selected neutrons through magnetized iron—235

Gale, Donald I. (see Best, Nolan R.)—985(L)
Gallagher, C. J. (see Cobine, J. D.)—113(A), 119(A)
—— **and J. D. Cobine.** Effect of magnetic field on noise and oscillations in hot-cathode arcs—113(A)
Gamow, G. Expanding universe and the origin of elements—572(L)
Garrison, J. B. (see Bitter, F.)—97(L)
George, E. P. and L. Janossy. Penetrating cosmic-ray bursts—773(L)
Gerö, L. (see Schmid, R. F.)—226(L)
Getting, I. A. (see Clark, J. S.)—562(L)
Ginzbarg, A. (see Haxby, R. O.)—797(A)
Gladrow, E. M. (see Sullivan, W. H.)—778(L)
Goertzel, G. Angular correlation of gamma-rays—897
—— (see Feenberg, E.)—597
Golay, M. J. E. (see Zahl, Harold A.)—450(A)
Goldberg, H. and O. Sandvik. Simple instrument for measuring the rheological properties of elastic fluids—110(A)
Goldberger, M. L. and Frederick Seitz. Refraction and diffraction of neutrons by crystals—116(A)
Goldhaber, M. Activation of Ag (225 d.) by resonance neutrons—89(L)
—— (see Bittencourt, P. T.)—780(L)
—— (see Burson, S. B.)—566(L)
—— (see Muelhause, C. O.)—85(L)
—— **and W. J. Sturm.** Decay of Cb^{94} (6.6 min.)—111(A)
Goldsmith, H. H. Critical survey of neutron cross sections—100(T)

Goldstein, Herbert. Frequency dependence of the properties of sea echo—938
—— Properties of radar echoes from shell splashes—232(L)
Golian, S. E., E. H. Krause, and G. J. Perlow. Additional cosmic-ray measurements with the V-2 rocket—776(L)
——, **E. H. Krause, and G. J. Perlow.** Cosmic radiation above 40 miles—223(L)
Good, W. E. (see Dakin, T. W.)—560(L)
Good, Wilfred M. Angular distribution of gamma-rays in Na^{24}, Co^{60}, Y^{88}—978(L)
Good, William E. Inversion spectrum of ammonia—109(A), 213
—— (see Coles, Donald K.)—979(L)
Goodman, B. (see Miller, P. H., Jr.)—110(A)
Goodman, J. Leon and M. L. Pool. Radioactive isotopes in the osmium region—112(A)
Graaff, W. A. and A. E. Badger. Viscosity of glass as affected by dissolved gases—220(L)
Graef-Fernández, Carlos. Periodic orbits of cosmic-ray particles at high magnetic latitudes—786(A)
Graves, A. C., E. R. Graves, J. H. Coon, and J. H. Manley. Cross section of $D(d,p)$ He^3 reaction—101(A)
Graves, E. R. (see Graves, A. C.)—101(A)
—— (see Manley, J. H.)—101(A), 602
—— **and J. H. Coon.** Disintegrations of neon and argon by *d-d* neutrons—101(A)
Greanias, E. C. (see Kaiser, H. F.)—797(A)
—— **and E. O. Wukasch.** Electron injection technique for betatrons—797(A)
Greenblatt, M. H., P. H. Miller, Jr., and L. I. Schiff. Electrical contact noise—113(A)
Grenchik, Raymond (see Palevsky, Harry)—117(A)
Groetzinger, Gerhart (see Smith, Lloyd)—96(L), 102(A)
Groshev, L. (see Veksler, V.)—440(L)
Grosse, Aristid V. (see Reid, Allen F.)—431(L)
Gulbransen, E. A. Deviation of lattice parameters of thin oxide films by electron diffraction analysis—575(T)
Gurewitsch, A. M. (see Pollock, H. D.)—798(A)

ter Haar, D. Vibrational levels of an anharmonic oscillator—222(L)
Hadley, Lawrence N. and D. M. Dennison. Microwave spectrum of ammonia—780(L)
Hainer, R. M., Gilbert W. King, and Paul C. Cross. Expected absorption in the microwave region by water vapor and similar molecules—108(A)
Halliday, David (see Cummerow, Robert L.)—433(L)
Halpern, J. (see Bitter, F.)—97(L)
Hamburger, G. (see Buerger, M. J.)—575(T)
Hamilton, J. G. (see York, Herbert)—446(A)
Hammermesh, B. (see Korff, S. A.)—429(L)
Hansen, W. W. (see Bloch, F.)—474
Harker, D. Microwaves (short wave radio) and scale models in determining crystal structures—575(T)
Hartzler, A. J. (see Schein, Marcel)—435(L)
Harvey, John L. Description of the Spier Falls plant of the New York Power and Light Company—989(T)
Hasbrouck, B. (see Borst, L. B.)—108(A), 557(L)
Havens, Ralph J. (see Best, Nolan R.)—985(L)
Havens, William W., Jr. (see Rainwater, James)—107(A), 136
—— **and James Rainwater.** Slow neutron cross sections of indium, gold, silver, antimony, lithium, and mercury as measured with a neutron beam spectrometer—107(A), 154
Haxby, R. O., E. S. Akeley, A. Ginzbarg, R. N. Smith, H. W. Welch, and R. M. Whaley. Preliminary studies on the Purdue microwave electron accelerator—797(A)
Hayden, Richard J. (see Lewis, Lloyd, G.)—111(A)
—— **and Mark G. Inghram.** Assignment of mass to 46-hr. samarium and 9.2-hr. europium by a mass spectrograph—89(L)
—— **and Lloyd G. Lewis.** Assignments of mass to fission isotopes by mass spectrograph—111(A)
Hayes, Albert E., Jr. R-F heating cyclotron filaments—220(L)
Hazen, W. E. (see Fretter, W. B.)—230(L)
Hazen, Wayne. Recent cloud-chamber observations of the soft component of cosmic-rays—789(A)
Hazen, Wayne E. Cloud chamber for airborne cosmic-ray observations—445(A)
Heitler, W. Quantum theory of damping—795(A)
Helliwell, R. A. (see Manning, L. A.)—767(L)
Helmholz, A. C. Isotopic assignment of Cd and Ag activities—982(L)
——, **J. V. Franck, and J. M. Peterson.** Synchrotron radiofrequency system—448(A)
Hemmendinger, Arthur. (see Argo, Harold)—102(A)
Herzberg, G. On the high pressure bands of carbon and the formation of C_2 molecules—762
Herzfeld, Karl F. (see Fox, Francis E.)—329
Herzog, G. Gamma-ray anomaly following the atomic bomb test of July 1, 1946—227(L)
Hess, Victor F. and Paul Luger. Ionization of the atmosphere in the New York area before and after the Bikini atom bomb test—564(L)
Hickman, J. W. Electron diffraction studies of oxide film formation on W, Mo, and W, Mo, Ni, and Cr alloys—575(T)
Hildebrand, Roger (see York, Herbert)—446(A)
Hill, A. G. (see Roberts, Arthur)—112(A)
Hill, Douglas G. (see Conn, E. E.)—768(L)
Hillier, J. (see Davidson, N.)—575(T)
—— **and Edward G. Ramberg.** Contour fringes and asymmetries of electron microscope objectives—113(A)
Hincks, E. P. Evidence for the reaction $O^{17}(n,a)$ C^{14}—770(L)
Ho, Zah-Wei. Disintegration of $_{17}Cl^{34}$—782(L)
—— Single scattering and annihilation of positrons—224(L)
Hock, Charles W. (see Kinsinger, William G.)—802(A)
Hodgins, J. W. Persistent currents in frozen metal-ammonia solutions—568(L)
Hoffman, T. A. On the dynamics of the Rb I crystal—981(L)
Hofstadter, Robert. Mechanical-electronic control system—113(A)
Hole, Njål (see Siegbahn, Kai)—133

Holloman, J. H. and J. D. Lubahn. Plastic flow of metals—775(L)
Holstein, T. Energy distribution of electrons in high frequency gas discharges—367
Huang, Kun. Wave function for the ground state of lithium—197
Huggins, M. L. Equations for various types of summations—575(T)
Hughes, D. J. Radiative capture cross sections for fast neutrons—106(A)
Hughes, Donald. Mass of the mesotron as determined by cosmic-ray measurements—791(A)
—— Mass of the neutron—219(L)
Hughes, E. W. Punched card methods in x-ray and electron diffraction calculations—575(T)
—— X-ray examinations of some synthetic oxygen-carrying chelate compounds—575(T)
—— **and W. N. Lipscomb, Jr.** Structure of methyl ammonium chloride—575(T)
Hughes, Harold Kenneth. New method of measuring the electric dipole moment, moment of inertia, and internuclear distance of diatomic polar molecules—570(L)
—— Errata: New method of measuring the electric dipole moment of inertia of diatomic polar molecules—909
Hush, J. M. (see McKibben, J. L.)—117(A)

Infeld, L. and A. E. Schild. New approach to kinematic cosmology—(B)—410
Inghram, M. G. (see Norris, L. D.)—772(L)
Inghram, Mark G. Isotopic composition of tungsten, silicon, and boron—119(A), 653
—— Mass spectrometric observation of radioactive C^{14}—111(A)
—— (see Hayden, Richard J.)—89(L)
—— (see Nier, Alfred O.)—116(A)
Iona, Mario, Jr. High particle density in cosmic-ray air showers—114(A)
Irvine, John W., Jr. (see Clarke, E. T.)—893

Jacobsen, J. C. On the recoil of the nucleus in beta-decay—789(A)
Janossy, L. (see George, E. P.)—773(L)
Jarvis, G. A. Positive ions from thoriated tungsten—106(A)
Jehle, Herbert. Statistical hypotheses in stellar dynamics—538
Jnanananda, Swami. Radioactive isotope of gold $_{79}Au^{198}$ and low energy range of its spectrum—812
Joffe, Joseph. Maximum inversion temperatures of helium, hydrogen, and neon—766(L)
Johnson, F. S. (see Baum, W. A.)—781(L)
Johnson, Irving (see Fearon, R. E.)—564(L)
Johnston, Lawrence H. (see Oppenheimer, Frank)—447(A)
Jones, Stanley B. Strengths of some model magnets—450(A)
Jorgensen, T. (see Manley, J. H.)—602
Jurney, E. (see Cook, C. S.)—985(L)

Kac, M. and A. F. J. Siegert. Note on the theory of noise in receivers with square law detector—449(A)
Kaiser, H. F. and E. C. Greanias. Synchro-betatron electron accelerator guide fields—797(A)
Kaplan, Joseph. Afterglows and the upper atmosphere—448(A)
Karle, J. Theory of electron scattering by oriented long chain molecules—575(T)
Karrer, Enoch and R. S. Orr. Measurement of irregular distances and its use in studying the swelling of cotton fibers—803(T)
Kaswell, E. R. Design of parachute shroud lines as influenced by fundamental energy absorption properties—803(T)
Kê, T'ing-Sui. High temperature anelastic effects in polycrystalline aluminum—105(A)
Keim, C. P. (see Swartout, J. A.)—232(L)
Kennedy, J. W., G. T. Seaborg, E. Segrè, and A. C. Wahl. Properties of 94 (239)—555
Kerst, D. W. (see Skaggs, L. S.)—95(L)
Keston, Albert S. (see Reid, Allen F.)—987(L)
Kidnapillai, M. and A. W. Mailvaganam. Solar and lunar effects on cosmic-rays—94(L)
King, Gilbert W. Calculation of the higher energy levels of the asymmetric rotor by means of the correspondence principle—108(A)
—— (see Hainer, R. M.)—108(A)
Kingshill, Konrad L. (see Lewis, Lloyd G.)—792(A)
Kinsinger, William G. and Charles W. Hock. Electron microscopical studies of natural cellulose fibers—802(A)
Kirkpatrick, Paul. Theory of continuous x-ray spectra from thick targets—446(A)
Kittel, Charles. Theory of the dispersion of magnetic permeability in ferromagnetic materials at microwave frequencies—281
—— Theory of the structure of ferromagnetic domains in films and small particles—965
Klaiber, G. S. (see Scharff-Goldhaber, G.)—229(L)
—— (see Schein, Marcel)—435(L)
——, **A. E. Luebke, and G. C. Baldwin.** Range-momentum measurements of particles emitted in nuclear disintegrations induced by 100-Mev x-rays—789(A)
Klaiber, G. Stanley (see Baldwin, George C.)—259
Klein, G. (see Buerger, M. J.)—575(T)
Knipp, J. K. (see Present, R. D.)—557(L)
Koller, L. R. and J. S. Burgess. Secondary emission from germanium, boron, and silicon—571(L)
Korff, S. A. and B. Hammermesh. Multiple production of neutrons by cosmic radiation—429(L)
Kovacs, Magdalene. Excitation-function of the γ-radiation generated by Po-α bombardment of Na—895
Kratz, Howard (see Argo, Harold)—102(A)
Krause, E. H. (see Golian, S. E.)—223(L), 776(L)
Kundu, D. N. and M. L. Pool. Mo^{93} and Cb^{94} from columbium—111(A)
Kusaka, Shuichi. Difficulties of the meson theories of nuclear forces—794(A)
Kyhl, R. L. (see Dailey, E. P.)—984(L)
Kyhl, Robert L. (see Dicke, Robert H.)—340

Lamb, William E., Jr. Theory of a microwave spectroscope—308

LaMer, Victor K. (see Rosenblatt, Philip)—385
Lane, C. T., Henry Fairbank, Howard Schultz, and William Fairbank. "Second sound" in liquid helium II—431(L)
Langer, L. M. (see Cook, C. S.)—985(L)
Langmuir, R. V. (see Pollock, H. D.)—798(A)
—— **and R. B. Nelson.** A 10-kilowatt magnetron with water-cooled cathode—118(A)
Lanz, L. H. (see Skaggs, L. S.)—95(L)
Lapp, R. E., J. R. Van Horn, and A. J. Dempster. Neutron absorbing isotopes in samarium and gadolinium—104(A)
Larson, C. E. (see Swartout, J. A.)—232(L)
Larson, L. L. Spun Nylon—803(T)
Lassen, N. O. Specific ionization by fission fragments—577
Lawrence, Ernest O. Experimental problem of accelerating charged particles—784(T)
Lawson, A. W. and Earl A. Long. Further remarks on the possible use of Brownian motion in low temperature thermometry—977(L)
—— **and Earl A. Long.** On the possible use of Brownian motion for low temperature thermometry—220(L)
Lazareva, L. Investigation of auger showers by the proportional counted method—439(L)
—— (see Veksler, V.)—440(L)
Leaf, Boris. Phenomenological theory of transport processes in fluids—748
LePrince-Ringuet, L. Measurement of meson masses by the method of elastic collision. Probable existence of a heavy meson (1000 M_0) in the cosmic radiation—791(A)
Levinger, J. S. (see Snell, A. H.)—111(A)
Lewis, Lloyd G. (see Hayden, Richard J.)—111(A)
—— **and Richard J. Hayden.** Mass spectrograph for the study of fission product mixtures—111(A)
——, **Konrad L. Kingshill, and J. M. Benade.** Ionization chamber measurements on cosmic-ray air showers—792(A)
Lipscomb, W. N., Jr. (see Hughes, E. W.)—575(T)
Little, R. N., Jr. (see Colby, M. Y.)—437(L)
Livingston, M. R. (see Work, R. W.)—803(A)
Lofgren, E. J. and B. Peters. Description of a frequency modulated cyclotron and a discussion of the deflector problem—444(A)
Long, Earl A. (see Lawson, A. W.)—220(L), 977(L)
Lopes, J. Leite. High energy neutron-proton scattering and the meson theory of nuclear forces with strong coupling—5
Loverdo, A. (see Cocconi, G.)—841, 846, 852
Lubahn, J. D. (see Hollomon, J. H.)—775(L)
Lucht, C. M. (see Smoluchowski, R.)—318
Luebke, A. E. (see Klaiber, G. S.)—789(A)
Luger, Paul (see Hess, Victor F.)—564(L)
Luttinger, J. M. and L. Tisza. Theory of dipole interaction in crystals—954
Lyons, W. James, Hilda M. Ziifle, Mary L. Nelson, and Trinidad Mares. Moisture transfer to and from tire cords encased in GR-S—802(A)

MacDonald, D. K. C. (see Brown, James B.)—976(L)
Machlin, E. S. (see Nowick, A. S.)—104(A)
MacKenzie, K. R. and F. H. Schmidt. Frequency modulation for Berkeley 37" cyclotron—445(A)
Mailvaganam, A. W. (see Kidnapillai, M.)—94(L)
Mandeville, C. E. (see Bennett, W. E.)—101(A), 882
Manley, J. H. (see Graves, A. C.)—101(A)
——, **H. M. Agnew, H. H. Barschall, W. C. Bright, J. H. Coon, E. R. Graves, T. Jorgensen, and B. Waldman.** Elastic backscattering of *d-d* neutrons—602
——, **J. H. Coon, and E. R. Graves.** Cross section of D(d,n) He^3 reaction—101(A)
Mann, M. (see Smoluchowski, R.)—318
Manning, L. A., R. A. Helliwell, O. G. Villard, Jr., and W. E. Evans, Jr. On the detection of meteors by radio—767(L)
Many, Abraham. On the deep configurations of Ti I, Ti II, V II, V III—511
Marais, E. J. Perturbations in the ultraviolet band spectrum of P_2—499
Mares, Trinidad (see Lyons, W. James)—802(A)
Margenau, H., F. L. McMillan, Jr., I. H. Dearnley, C. S. Pearsall, and C. G. Montgomery. Physical processes in the recovery of TR tubes—349
Marshak, R. E. β-ray spectrum of K^{40} and theory of β-decay—980(L)
Marshall, Fitz-Hugh. Microsecond phosphorescent decay periods of x-ray fluorescent screens—114(A)
Marshall, John. Total cross sections of various materials for indium resonance neutrons—107(A)
Marshall, L. (see Fermi, E.)—103(A)
Marshall, Leona (see Anderson, Herbert L.)—102(A), 815
Martinelli, E. A. (see Woodyard, J. R.)—447(A)
Marton, L. and K. Bol. Reduction of spherical aberration in strong magnetic lenses—447(A)
Masket, A. V. (see Abelson, P. H.)—227(L)
Mason, W. P. Elastic, piezoelectric, and dielectric properties of sodium chlorate and sodium bromate—529
—— Properties of monoclinic crystals—705
—— Variations of the viscosity of polyatomic gases with frequency—110(A)
Mattoon, Richard W. X-ray long spacing diffraction from lauryl amine hydrochloride and sodium laurate—116(A)
Maxwell, E. (see Bitter, F.)—97(L)
McDaniel, Boyce D. Slow neutron resonances in indium—832
McGowan, F. K. (see DeBennedetti, S.)—569(L)
McIntosh, L. R. (see Van de Graaff, R. J.)—797(A)
McKibben, J. L. Nomographic charts for nuclear reactions—101(A)
——, **D. H. Frisch, and J. M. Hush.** Control equipment for 2.5-Mev Van de Graaff giving an ion beam constant to ±1.5 kev—117(A)
McLachlan, D., Jr. New numbered strip method for summing Fourier series—575(T)
McManus, H. (see Peierls, R. E.)—795(A)
McMillan, Edwin M. Resonance acceleration of charged particles—800(A)
—— Synchrotron—784(T)
—— **and Samuel Ruben.** Radioactivity of Be^{10}—123
McMillan, F. L., Jr. (see Margenau, H.)—349
Meiners, E. P. (see Snell, A. H.)—111(A)
Meiners, E. P., Jr. (see Norris, L. D.)—110(A)
Mendelssohn, K. (see Daunt, J. G.)—219(L)

Merritt, F. R. (see Towns, C. H.)—558(L)
Meyerhof, W. E. Contact potential difference in crystal rectifiers—106(A)
Meyerott, Roland. Helium molecular energy states as detected by collisions of the second kind in helium—671
Miller, L. C. and L. F. Curtiss. Beta- and gamma-ray energies of several radioactive isotopes—983(L)
Miller, P. H., Jr. (see Greenblatt, M. H.)—113(A)
—— **and B. Goodman.** Optical microwave detector—110(A)
Montgomery, C. G. (see Margenau, H.)—349
Moore, Henry T. Address of welcome—989(T)
Morton, Paul L. Ionization currents in non-uniform electric fields—358
Moyer, B. J., B. Peters, and F. H. Schmidt. Isotopic absorption of slow neutrons in cadmium—446(A)
Moyer, W. E. (see Seren, Leo)—561(L)
Muelhause, C. O. and M. Goldhaber. Capture cross sections for slow neutrons. II. Small capture cross sections—85(L)
Mullin, Charles J. Initiation of discharge in arcs of the thyratron type—401

Nelson, Mary L. (see Lyons, W. James)—802(A)
Nelson, R. B. Methods of tuning multiple-cavity magnetrons—118(A)
—— (see Langmuir, R. V.)—118(A)
Nestmann, A. L. (see Rainard, L. W.)—802(T)
Newman, Brownie (see Rosen, Nathan)—656(L)
Ney, Edward P. Power spectrum of the cosmic-ray cascade component—221(L)
—— (see Nier, Alfred O.)—116(A)
Nielsen, Carl E. Magnetic field with small axial variation—450(A)
—— Momentum and specific ionization of 25–100 Kv electrons—444(A)
Nielsen, Harald H. Note concerning the coriolis contribution to the energy of a symmetric polyatomic molecule—184
—— (see Dickey, Fred P.)—109(A)
Nier, Alfred O. (see Aldrich, L. T.)—983(L)
——, **Edward P. Ney, and Mark G. Inghram.** Null method for the comparison of two ion currents in a mass spectrometer—116(A)
Nierenberg, W. A., N. F. Ramsey, and S. B. Brody. Measurements of nuclear quadrupole moment interactions—773(L)
Nordheim, L. W. Pile kinetics—115(A)
—— (see Scalettar, R.)—115(A)
Norris, L. D. and M. G. Inghram. Half-life determination of carbon (14) with a mass spectrometer and low absorption counter—772(L)
——, **A. H. Snell, E. P. Meiners, Jr., and L. Slotin.** Manufacture of carbon 14 in the chain-reacting pile—110(A)
Nowick, A. S. and E. S. Machlin. Dislocation theory of the creep of metals—104(A)
Nuckolls, Richard G. (see Bailey, C. L.)—118(A)
—— (see Bailey, Carl L.)—583
——, **Carl L. Bailey, William E. Bennett, Thor Bergstralh, Hugh T. Richards, and John H. Williams.** Total scattering cross sections of deuterium and oxygen for fast neutrons—805

Oberly, J. J. (see Baum, W. A.)—781(L)
Ogg, Richard A., Jr. Experimental demonstration of electrical superconductivity in metal-ammonia solutions—446(A)
—— Superconductivity in solid metal-ammonia solutions—93(L)
Oldenburger, Rufus. Thermodynamic equilibria of higher order—433(L)
O'Neal, R. D. Slowing down of low energy neutrons in water. II. Determination of photo-neutron energies—1
Opatowski, I. On the irradiation of microorganisms with variable sensitivity—114(A)
Opechowski, W. Remarks on Dr. Ma's "Redundant zeros in the discrete energy spectra in Heisenberg's theory of characteristic matrix"—772(L)
Oppenheimer, Frank, Lawrence H. Johnston, and Chaim Richman. Drift tubes for linear proton accelerator—447(A)
Oppenheimer, J. R. and H. A. Bethe. Reaction of radiation on electron scattering, and Heitler's theory of radiation damping—796(A)
Oppenheimer, J. Robert. Why are we interested in high energy particles?—784(T)
—— (see Bethe, H. A.)—451
Ore, Aadne. Binding energy of polyelectrons—90(L)
Orr, R. S. (see Karrer, Enoch)—803(T)
Osborne, C. L. (see Borst, L. B.)—108(A), 557(L)
Osborne, M. F. M. and A. H. Taylor. Non-linear propagation of underwater shock waves—322
O'Shaughnessy, M. T. Creep behavior of textile fibers—802(A)

Packard, M. (see Bloch, F.)—474
Pais, A. Some general aspects of the self-energy problem—796(A)
Palevsky, Harry, Robert K. Swank, and Raymond Grenchik. Dynamic condenser electrometer—117(A)
Panofsky, Wolfgang K. H. Measurement of electric field strength in a cavity resonant at 200 mc—447(A)
—— (see Woodyard, J. R.)—447(A)
Pardue, L. A. (see Burgy, Merle)—104(A)
Parker, W. L. (see Ellickson, R. T.)—290
Parrish, W. and E. Cisney. Collimator systems and filter techniques for x-ray powder cameras—575(T)
Peacock, M. A. Structure of rickardite, $Cu_{4-x}Te_3$—575(T)
Pearsall, C. S. (see Margenau, H.)—349
Peierls, R. E. and H. McManus. Electrodynamics without point singularities—795(A)
Pekeris, C. L. Accuracy of the earth-flattening approximation in the theory of microwave propagation—518
Penrose, R. P. (see Bleaney, B.)—775(L)
Pepinsky, R. Some aspects of electronic instrumentation in x-ray diffraction studies—575(T)
—— Summation of two-dimensional Fourier series by electronic means—575(T)

Pepkowitz, L. (see Friedlander, G.)—790(A)
Perlman, I. H. (see Richards, H. T.)—118(A)
Perlman, M. (see Friedlander, G.)—790(A)
Perlow, G. J. (see Golian, S. E.)—223(L), 776(L)
Perry, Rolland (see Argo, Harold)—102(A)
Perusquía, M. L. (see Vallarta, M. S.)—785(A)
Peters, B. (see Lofgren, E. J.)—444(A)
—— (see Moyer, B. J.)—446(A)
Peterson, J. M. (see Helmholz, A. C.)—448(A)
Peterson, K. C. (see Sawyer, R. B.)—791(A)
Phillips, M. Lindeman. Ionosphere as a measure of solar activity—119(A)
Piccioni, O. (see Conversi, M.)—859, 874
Pierce, A. K. and F. W. Brown, III. Mass spectrographic confirmation of the isotopic assignment for the long-lived radioactivity in beryllium—779(L)
Plass, Gilbert N. and John A. Wheeler. Blackbody radiation in the theory of action at a distance—793(A)
Platt, John R. Suggestion concerning fundamental particles—110(A)
Pollock, H. D., R. V. Langmuir, F. R. Elder, J. P. Blewett, A. M. Gurewitsch, and R. L. Watters. Design of a 70-Mev synchrotron—798(A)
Pomerantz, Martin A. Temperature dependence of secondary electron emission from oxide-coated cathodes—33
Pontius, R. B. (see Boorse, H. A.)—92(L)
Pool, M. L. (see Eggen, D. T.)—446(A)
—— (see Goodman, Leon J.)—112(A)
—— (see Kundu, D. N.)—111(A)
—— (see Schwarz, W. M.)—102(A)
Pound, R. V. (see Purcell, E. M.)—986(L), 988(L)
Powell, Wilson M. Method for measuring small changes in alternating magnetic fields—444(A)
Present, R. D., F. Reines, and J. K. Knipp. Liquid drop model for nuclear fission—557(L)
Primakoff, N. (see Feenberg, E.)—980(L)
Purcell, E. M., N. Bloembergen, and R. V. Pound. Resonance absorption by nuclear magnetic moments in a single crystal of CaF_2—988(L)
——, **R. V. Pound, and N. Bloembergen.** Nuclear magnetic resonance absorption in hydrogen gas—986(L)
Putnam, Thomas (see York, Herbert)—446(A)

Racah, Giulio. On the self-energy of the electron—406
Rainard, L. W., E. L. Wilson, and A. L. Nestmann. Air and water vapor permeability of fabrics—802(T)
Rainwater, James (see Havens, William W., Jr.)—107(A), 154
—— **and William W. Havens, Jr.** Neutron beam spectrometer studies of boron, cadmium, and the energy distribution from paraffin—107(A), 136
Rall, W. (see Shaw, A. E.)—117(A)
Rall, Wilfred. Mass assignments of some radioactive isotopes of Pd and Ir—112(A)
Ramberg, Edward G. (see Hillier, James)—113(A)
Ramsey, N. F. (see Nierenberg, W. A.)—773(L)
Rasetti, F. Disintegration of mesons at rest—790(A)
Ray, L. G., Jr. Tensile and torsional properties of textile fibers—802(A)
Raymond, Richard C. and Wayne Webb. Radiation resistance of loaded antennas—114(A)
Rayski, George. Problem of quantization of higher order equations—573(L)
Regener, Victor H. Multiple master-coincidence method for cosmic-ray studies—449(A)
Reid, Allen F., John R. Dunning, Sidney Weinhouse, and Aristid V. Grosse. Half-life of C^{14}—431(L)
—— **and Albert S. Keston.** Long-life radio-iodine—987(L)
Reines, F. (see Present, R. D.)—557(L)
Rhines, F. N. Thesis that order-disorder changes are ordinary phase changes—575(T)
Rhodes, J. Elmer, Jr. Dispersion of the velocity of sound in normal and para-hydrogen—91(L)
—— Velocity of sound in hydrogen when rotational degrees of freedom fail to be excited—932
Rice, Chester W. Volt-ampere characteristics for the flow of ions or electrons between concentric cylinders in gases at atmospheric pressure—228(L)
Richards, H. T. (see Bailey, C. L.)—118(A)
—— (see Bennett, W. E.)—101(A), 118(A)
——, **Lyda Speck, and I. H. Perlman.** Neutron spectra—118(A)
Richards, Hugh T. (see Bailey, Carl L.)—583
—— (see Nuckolls, Richard G.)—805
Richardson, J. M. and W. Shockley. Electrostatic potentials and fields in ionic lattices—105(A)
Richardson, J. Reginald (see Wright, Byron T.)—445(A)
—— **and Byron T. Wright.** Nuclear reaction (p,pn)—445(A)
Richman, Chaim (see Oppenheimer, Frank)—447(A)
Roberts, Arthur (see Arnold, Wayne R.)—766(L)
——, **Yardley Beers, and A. G. Hill.** Measurement of nuclear spin, magnetic moment, and hyperfine structure separation by a microwave frequency-modulation method—112(A)
Roberts, L. D. (see Blewett, J. P.)—118(A)
Rock, George D. (see Fox, Francis E.)—68, 329
Rockwood, C. C. (see Baum, W. A.)—781(L)
Rosen, Nathan. Note on the problem of uniform rotation—93(L)
—— (see Abelsen, P. H.)—227(L)
—— **and Brownie Newman.** Schwarzschild interior solution—565(L)
Rosenblatt, Philip and Victor K. LaMer. Motion of a particle in a temperature gradient; thermal repulsion as a radiometer phenomenon—385
Rosenfeld, L. Conservation theorems and invariance properties of the Lagrangian—794(A)
Rossi, Bruno. Some problems in the study of cosmic-ray mesons—788(A)
Ruben, Samuel (see McMillan, Edwin M.)—123
Rubin, S. Particle scattering camera—447(A)
Ruthberg, Stanley. Cold-cathode gas tubes as noise generators—112(A)

Sachs, R. G. On the level scheme of Mg^{24} and the mass of Na^{24}—572(L)
—— **and Julian Schwinger.** Magnetic moments of H^3 and He^3—41

Saibel, Edward. Thermodynamic criterion for the fracture of metals—Reply to a criticism—779(L)
Sala, O. and G. Wataghin. Showers of penetrating particles at altitude of 22,000 feet—430(L)
Sampson, M. B. (see Snell, A. H.)—111(A)
Sandvik, O. (see Goldberg, H.)—110(A)
Sawyer, R. B., E. O. Woolan, K. C. Peterson, and S. Bernstein. Application of a bent crystal neutron spectrometer to measurements of resonance absorption—791(A)
Saxon, D. (see Shrader, E. F. O.)—791(A)
Scalettar, R. and L. W. Nordheim. Theory of pile control rods—115(A)
Scharff-Goldhaber, G. and G. S. Klaiber. Spontaneous emission of neutrons from uranium—229(L)
Schein, Marcel. Origin of cosmic-ray mesons—788(A)
——, **A. J. Hartzler, and G. S. Klaiber.** Production of heavily ionizing particles by x-rays generated by a 100-Mev betatron—435(L)
Scherbatskoy, S. A. and R. E. Fearon. Electrostatic generating voltmeter for measurement of very small e.m.f.'s—96(L)
Schiefer, Herbert F. and Josephine M. Blandford. Performance of tensile testing machines—803(A)
Schiff, L. I. Discussion of the fluorine-proton resonances—891
—— Energy-angle distribution of betatron target radiation—87(L)
—— Resonance fluorescence of nuclei—761, 794(A)
—— Thresholds for slow neutron induced reactions—106(A), 562(L)
—— (see Greenblatt, M. H.)—113(A)
Schild, A. E. (see Infeld, L.)—410
Schmid, R. F. and L. Gerö. Homogeneous perturbations in band spectrum of AgH molecule—226(L)
Schmidt, F. H. (see MacKenzie, K. R.)—445(A)
—— (see Moyer, B. J.)—446(A)
Schneider, M. and I. Frankuchen. Some D.D.T. analogues—575(T)
Schultz, Howard (see Lane, C. T.)—431(L)
Schwarz, W. M. and M. L. Pool. Gamma-rays from tungsten—102(A)
Schwinger, Julian. Electron radiation in high energy accelerators—798(A)
—— (see Sachs, R. G.)—41
Seaborg, G. T. Transuranium elements—100(T)
—— (see Kennedy, J. W.)—555
Segrè, E. (see Kennedy, J. W.)—555
—— **and C. Wiegand.** Stopping power of various substances for fission fragments—808
Segrè, Emilio. Paradox on nuclear isomerism—445(A)
—— (see Tobias, Cornelius)—89(L)
Seitz, Frederick (see Goldberger, M. L.)—116(A)
Serber, Robert. Orbits of particles in the racetrack—434(L)
Seren, Leo, W. E. Moyer, and W. Sturm. Absorption curve of 31-second $_8O^{19}$ beta-rays and cross section for production by thermal neutrons—561(L)
Serin, B. Energy of impurity levels in semi-conductors—104(A)
Shaw, A. E. and W. Rall. An a.c. operated Mattauch type mass spectrograph—117(A)
Shaw, C. H. Secondary structure in the K absorption limit of germanium tetrachloride—643
Sherr, Rubby. Electron collection in ionization chamber—450(A)
—— (see Argo, Harold)—102(A)
Shockley, W. Atomic polarizabilities and the local field in alkali-halide crystals—105(A)
—— (see Bardeen, J.)—105(A)
—— (see Richardson, J. M.)—105(A)
Shrader, E. F., D. Saxon, and A. H. Snell. An attempt to observe the radioactivity of the neutron—791(A)
Shull, C. G. Determination of x-ray diffraction line widths—679
Siegbahn, Kai. Disintegration of Na^{24} and P^{32}—127
—— **and Njål Hole.** Disintegration of I^{128}—133
Siegert, A. J. F. On the first passage time problem for a one-dimensional Markoffian gaussian random function—449(A)
—— (see Kac, M.)—449(A)
Simpson, John A., Jr. Precision alpha-proportional counter—117(A)
Skaggs, L. S., G. M. Almy, D. W. Kerst, and L. H. Lanzl. Removal of the electron beam from the betatron—95(L)
Skobeltzyn, D. Atmospheric showers and bursts—441(L)
Skolil, Lester L. Average specific ionization of cosmic-ray mesons in hydrogen, helium, and argon—619
Slater, J. C. Design of linear accelerators—799(A)
—— (see Bitter, F.)—97(L)
Sleight, N. R. (see Sullivan, W. H.)—778(L)
Slotin, L. (see Norris, L. D.)—110(A)
Smith, Lloyd, and Gerhart Groetzinger. On the positive particles appearing near beta-ray emitters—96(L)
—— **and Gerhart Groetzinger.** On the positive particles emitted by radioactive electron sources—102(A)
Smith, R. N. (see Haxby, R. O.)—797(A)
Smoluchowski, R., C. M. Lucht, and M. Mann. X-ray microradiography of distorted crystals—318
Smyth, J. B. and L. G. Trolese. Reflection of radio waves from tropospheric layers—449(A)
Snell, A. H. (see Norris, L. D.)—110(A)
—— (see Shrader, E. F.)—791(A)
——, **J. S. Levinger, R. G. Wilkinson, E. P. Meiners, and M. B. Sampson.** Chemical isolation of two of the delayed neutron activities; resolution of delayed neutron periods—111(A)
Soodak, Harry. Pile perturbation theory—115(A)
Speck, Lyda (see Richards, H. T.)—118(A)
Sperduto, A. (see Van de Graaff, R. J.)—797(A)
Spitzer, Lyman, Jr. Magnetic field of the galaxy—777(L)
Squire, C. F. (see Bitter, F.)—97(L)
Staub, H. (see Bloch, F.)—972
Stokes, A. P. D. (see Anderson, L. J.)—449(A)
Strandberg, M. W. P. (see Dailey, E. P.)—984(L)
Strain, C. V. (see Baum, W. A.)—781(L)
Strock, Lester W. Spectrographic analysis: its principles and application—989(T)
Sturkey, L. Refraction and absorption effects in electron diffraction—575(T)

Sturm, W. (see Seren, Leo)—561(L)
—— (see Goldhaber, M.)—111(A)
—— **and Solomon Turkel.** Studies of neutron resonances with a crystal spectrometer—103(A)
Sullivan, W. H., N. R. Sleight, and E. M. Gladrow. Discovery, identification, and characterization of 2.8*d* Ru^{97}—778(L)
Swank, Robert K. (see Palevsky, Harry)—117(A)
Swartout, J. A. (see Conn, E. E.)—768(L)
——, **G. E. Boyd, A. E. Cameron, C. P. Keim, and C. E. Larson.** Mass assignment of 2.6 *h* Ni^{65}—232(L)
Swift, Gilbert (see Fearon, R. E.)—564(L)

Tamm, I. and S. Belenky. Energy spectrum of cascade electrons—660
Taschek, Richard (see Argo, Harold)—102(A)
Tawde, N. R. Effective temperatures of molecules in relation to the temperatures of sources—432(L)
Taylor, A. H. (see Osborne, M. F. M.)—322
Thayer, Jean (see Fearon, R. E.)—564(L)
Thomas, J. E., Jr. (see Clark, J. S.)—562(L)
Thorne, A. M. (see Work, R. W.)—803(A)
Thornton, R. L. The 184″ cyclotron—784(T)
Tisza, L. (see Luttinger, J. M.)—954
Tobias, Cornelius and Emilio Segrè. High energy carbon nuclei—89(L)
du Toit, S. J. (see de Vos, P. J. G.)—229(L)
Tongiorgi, V. (see Cocconi, G.)—841, 846, 850, 852, 855
Toulis, William (see Woodyard, J. R.)—447(A)
Tousey, R. (see Baum, W. A.)—781(L)
Townes, C. H. and F. R. Merritt. Water spectrum near one centimeter wave-length—558(L)
Townes, Charles Hard. Ammonia spectrum and line shapes near 1.25-cm wave-length—665
—— Resolution and pressure broadening of the ammonia spectrum near one-cm wave-length—109(A)
Trabacchi, G. C. (see Amaldi, E.)—103(A)
Trolese, L. G. (see Smyth, J. B.)—449(A)
Turkel, Solomon (see Sturm, William J.)—103(A)

Ufford, C. W. Internal waves in the ocean—448(A)
Ulrich, A. J. (see Borst, L. B.)—108(A), 557(L)

Vallarta, M. S., M. L. Perusquía and J. De Oyarzabal. On the determination of the energy spectrum and sign of primary cosmic radiation—785(A)
Van de Graaff, R. J. (see Buechner, W. W.)—174
——, **W. W. Buechner, W. M. Woodward, L. R. McIntosh, E. A. Burrill, and A. Sperduto.** Electrostatic generator for nuclear research—797(A)
Vane, A. B. (see Dicke, Robert H.)—340
Van Horn, J. R. (see Lapp, R. E.)—104(A)
Van Vleck, J. H. (see Dailey, E. P.)—984(L)
Vavilov, O. N. (see Vernov, S. N.)—769(L)
Veksler, V., L. Groshev, and L. Lazareva. Penetrating (atmospheric) showers in cosmic rays—440(L)
Vernov, S. N. and O. N. Vavilov. Transition effects of the soft component of cosmic rays—769(L)
Villard, O. G., Jr. (see Manning, L. A.)—767(L)
de Vos, P. J. G. and S. J. du Toit. On the production of penetrating ionizing particles by the non-ionizing component of cosmic radiation—229(L)
Vought, R. H. Dissociation of $SiCl_4$ by electron bombardment—109(A)

Wahl, A. C. (see Kennedy, J. W.)—555
Waldman, B. (see Manley, J. H.)—602
Wang, K. C. and K. C. Cheng. Five-dimensional field theory—516
Wang, Mu-Hsien. Calculation of the binding energies of H^3 and He^4 with a new potential—492
Warburton, F. W. Advance of the perihelion of mercury—86(L)
Washburn, Harold W. and Clifford E. Berry. Effects of high initial energies on mass spectra—559(L)
Wataghin, G. On the abundance of nuclei in the universe—430(L)
—— (see Sala, O.)—430(L)
Wataghin, Gleb. On the production of groups of mesons and nucleons—787(A)
Watt, B. E. (see Bennett, W. E.)—882
Watters, R. L. (see Pollock, H. D.)—798(A)
Watts, Richard J. and Dudley Williams. Beta-rays from H^3—640
Way, Katherine and E. P. Wigner. Radiation from fission products—115(A)
Webb, Wayne (see Raymond, Richard C.)—114(A)
Webster, D. L. Forces on ferromagnets through which electrons are moving—446(A)
Weekes, Donald F. (see Weekes, E. Dorothy)—565(L)
Weekes, E. Dorothy and Donald F. Weekes. Effort to observe anomalous gamma-rays connected with atomic bomb test of July 1, 1946—565(L)
Weinberg, A. M. Calculation of critical size of heterogeneous slow neutron chain reactors—115(A)
Weinhouse, Sidney (see Reid, Allen F.)—431(L)
Weissman, S. I. Conductivity of metal-amine solutions—571(L)
Weisz, Paul B. Particle accelerators as mass analyzers—91(L)
Welch, H. W. (see Haxby, R. O.)—797(A)
Welton, Theodore A. Convergent quantum electrodynamics—793(A)
Wexler, Aaron. Transmission of light by superconducting lead films—219(L)
Whaley, R. M. (see Haxby, R. O.)—797(A)
Wheeler, John A. Two-particles problem in the theory of action at a distance—793(A)
—— (see Plass, Gilbert N.)—793(A)
Whitman, Ross. Curl in woven textile fabrics—802(A)
Wick, G. C. Application of the Fokker-Planck equation of the energy spectrum of thermal neutrons—103(A)
Weidenbeck, M. L. Radioactive isotopes in the columbium region—435(L)
Wiegand, C. (see Segrè, E.)—808
Wiens, Jacob H. Production of Hg^{198} as a possible source of an improved wave-length standard—910
Wigner, E. P. Introduction to the theoretical papers from Princeton—100(T)

Wigner, E. P. Relativistic wave equations—794(A)
—— (see Way, Katherine)—115(A)
Wigner, Eugene P. Resonance reactions—606
—— Resonance reactions and anomalous scattering—15
Wilbur, D. A. New magnetron designs for continuous operation in the decimeter wave range—118(A)
—— (see Blewett, J. P.)—118(A)
Wilkinson, R. G. (see Snell, A. H.)—111(A)
Willard, H. B. (see Burgy, Merle)—104(A)
Williams, Dudley (see Argo, Harold)—102(A)
—— (see Chamberlain, Owen)—580
—— (see Watts, Richard J.)—640
—— **and Philip Yuster.** Isotopic constitution of tellurium and tungsten—118(A)
Williams, J. H. Magnetic domain patterns on silicon-iron crystals—106(A)
—— (see Bailey, C. L.)—118(A)
Williams, John H. (see Bailey, Carl L.)—583
—— (see Nuckolls, Richard G.)—805
Wilson, E. B., Jr. (see Dailey, E. P.)—984(L)
Wilson, E. L. (see Rainard, L. W.)—802(T)
Winchester, George. Influence of intercrystalline forces on β-ray absorption—437(L)
Wollan, E. O. (see Burgy, Merle)—104(A)
Woodward, W. M. (see Van de Graaff, R. J.)—797(A)
Woodyard, J. R., E. A. Martinelli, William Toulis, and Wolfgang K. H. Panofsky. Methods of driving a high Q cavity with many self-excited oscillators—447(A)
Woolan, E. O. (see Sawyer, R. B.)—791(A)
Work, R. W., A. M. Thorne, and M. R. Livingston. Investigation of the load-deformation characteristics of celanese and wool with particular reference to the use of these materials in carpet pile—803(A)
Wright, Byron T. (see Richardson, J. Reginald)—445(A)
—— **and J. Reginald Richardson.** Frequency modulated cyclotron characteristics—445(A)
Wrinch, D. Fourier transforms and complex organic crystals—575(T)
Wukasch, E. O. (see Greanias, E. C.)—797(A)
Wyckoff, R. W. G. Structure of macro molecular crystals by use of the electron microscope—575(T)
Wyman, Max. Equations of state for radially symmetric distributions of matter—396
—— Schwarzschild interior solution in an isotropic coordinate system—74

Yearin, H. J. (see Barss, W. M.)—108(A)
—— **and W. M. Barss.** Mechanical synthesizer for gas diffraction patterns—108(A)
York, Herbert, Roger Hildebrand, Thomas Putnam, and J. G. Hamilton. Acceleration of stripped light nuclei in the cyclotron—446(A)
Yuster, Philip (see Chamberlain, Owen)—580
—— (see Williams, Dudley)—118(A)

Zachariasen, W. H. Crystal structure studies of plutonium and neptunium compounds—116(A)
Zahl, Harold A. and M. J. E. Golay. Pneumatic heat detector—450(A)
Zemansky, M. W. (see Boorse, H. A.)—92(L)
Zener, Clarence. Thermodynamic criterion for the fracture of metals—A criticism—225(L)
Ziifle, Hilda M. (see Lyons, W. James)—802(A)
Zinn, W. H. Bragg reflection of neutrons by a single crystal —102(A)
—— (see Fermi, E.)—103(A)

Analytic Subject Index to Volume 70

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption (see also **Spectra, absorption**)
Atmospheric absorption, microwave radiometer, R. H. Dicke, R. Beringer, R. L. Kyhl, and A. B. Vane—340
Of moisture in tire cords, W. J. Lyons, H. M. Ziifle, M. L. Nelson, and T. Mares—802(A)
Of one-half cm waves in oxygen, R. Beringer—53
Of 1.24-centimeter radiation through rain, L. J. Anderson, C. H. Freres, J. P. Day, and A. P. D. Stokes—449(A)
Sound absorption in water at different temperatures, F. E. Fox and G. D. Rock—68
Of water vapor in centimeter wave-length range, G. E. Becker and S. H. Autler—300; R. M. Hainer, G. W. King, and P. C. Cross—108(A)

Acoustics
"Second sound," liquid helium II, C. T. Lane, H. Fairbank, H. Schultz, and W. Fairbank—431(L)
Sound absorption in water at different temperatures, F. E. Fox and G. D. Rock—68
Ultrasonic waves and conductivity of salt solutions, F. E. Fox, K. F. Herzfeld, and G. D. Rock—329
Velocity of sound in H_2, J. E. Rhodes, Jr.—932
Velocity of sound in normal and parahydrogen, dispersion, J. E. Rhodes, Jr.—91(L)

Afterglow
In upper atmosphere, J. Kaplan—448(A)

Astrophysics
Abundance of nuclei in universe, G. Wataghin—430(L)
Advance of perihelion of mercury, F. W. Warburton—86(L)
Detection of meteors by radio, L. A. Manning, R. A. Helliwell, O. G. Villard, Jr., and W. E. Evans, Jr.—767(L)
Equations of state, symmetric distribution of matter, M. Wyman—396
Expanding universe and origin of elements, G. Gamow—572(L)
Ionosphere as a measure of solar activity, M. L. Phillips—119(A)
Kinematic cosmology, L. Infeld and A. E. Schild—410
Magnetic field of galaxy, L. Spitzer, Jr.—777(L)
Statistical hypotheses in stellar dynamics, H. Jehle—538

Atmosphere (see **Meteorology**)

Atomic mass (see **Isotopes**)

Atomic structure (see also **Energy states of atoms; Spectra, atomic**)

Biophysics
Irradiation of microorganisms, I. Opatowski—114(A)

Brownian movement
Brownian motion and low temperature thermometry, A. W. Lawson and E. A. Long—220(L), 977(L); J. B. Brown and D. K. C. MacDonald—976(L)

Chemical reactions
Oxidation of Cu, use of radioactive Cu tracer, J. Bardeen, W. H. Brattain, and W. Shockley—105(A)

Cosmic radiation
Above 40 miles, S. E. Golian, E. H. Krause, and G. J. Perlow—223(L)
Analysis of cosmic-ray phenomena, R. P. Feynman and H. A. Bethe—786(A)
Auger showers, proportional counter, L. Lazareva—439 (L)
Bursts in large and in small ion chambers, H. Carmichael and C. N. Chou—792(A); L. G. Lewis, Konrad L. Kingshill, and J. M. Benade—792 (A)
Cloud-chamber observations of soft component, W. Hazen—789(A)
Cloud chamber for airborne observations, W. E. Hazen—445(A)
Cosmic-ray mesons, B. Rossi—788(A)
Density spectrum of extensive showers, G. Cocconi, A. Loverso and V. Tongiorgi—840, 846, 852
Disintegration of, M. Conversi and O. Piccioni—874
Effects at high altitudes, C. B. Anderson—788(A)
Fine structure of zenithal curves, G. Cocconi and V. Tongiorgi—850
High particle density in showers, M. Iona, Jr.—114(A)
Magnets for airplane flights, S. B. Jones—450(A)
Mass of mesotron W. B. Fretter—625; W. B. Fretter and R. B. Brode—791(A); D. J. Hughes—791(A)
Mean lifetime of meson, G. Cocconi and V. Tongiorgi—855
Measurements with V-2 rocket, S. E. Golian, E. H. Krause, and G. J. Perlow—223(L); 776(L)
Meson masses by method of elastic collision, L. Le-Prince-Ringuet—791(A)
Multiple master-coincidence method, V. H. Regener—449(A)
Multiple production of mesons, H. A. Bethe—787(A)
Multiple production of penetrating particles, W. B. Fretter and W. E. Hazen—230(L)
Neutrons in the atmosphere, H. M. Agnew, W. C. Bright, and D. K. Froman—102(A)
Neutrons, production of, S. A. Korff and B. Hamermesh—429(L)
Origin of extensive showers, G. Cocconi—975(L)
Origin of mesons, M. Schein—788(A)
Penetrating bursts, E. P. George and L. Janossy—773(L)
Penetrating ionizing particles, P. J. G. de Vos and S. J. du Toit—229 (L)

Penetrating particles in showers, G. Cocconi, A. Loverdo, and V. Tongiorgi—852
Penetrating particles at 22,000 feet, O. Sala and G. Wataghin—430(L)
Penetrating showers, D. Skobeltzyn—411(L); V. Veksler, L. Groshev, and L. Lazareva—440(L)
Periodic orbits at high magnetic latitudes, C. Graef-Fernandez—786(A)
Production of groups of mesons and nucleons, G. Wataghin—787(A)
Proton hypothesis of primary component, N. Arley—975(L)
Range-momentum relationship for mesotrons, W. B. Fretter—444(A)
Recurrence phenomena, J. W. Broxon—494
Sign of primary radiation, M. S. Vallarta, M. L. Perusquia, and J. De Oyarzabal—785(A)
Simultaneous registration at two stations of mesons, F. A. Benedetto—817
Solar and lunar effects, M. Kidnapillai and A. W. Mailvaganam—94(L)
Specific ionization of mesons in H_2, He, and A, L. L. Skolil—619
Spectrum of cascade component, E. P. Ney—221(L)
Spectrum of cascade electrons, I. Tamm and S. Belenky—660
Stopping power of Pb and Al for mesotrons, E. Fein—567(L)
Three unusual increases, S. E. Forbush—771(L)
Transition effects of soft component, S. N. Vernov and O. N. Vavilov—769(L)

Cosmology
Equations of state, symmetric distribution of matter, M. Wyman—396
Kinematic cosmology, L. Infeld and A. E. Schild—410

Crystal structure
Of plutonium and neptunium compounds, W. H. Zachariasen—116(A)
X-ray microradiography of distorted crystals, R. Smoluchowski, C. M. Lucht, and M. Mann—318

Crystalline state
Atomic polarizabilities in alkali-halide crystals, W. Shockley—105(A)
Dipole interaction in crystals, J. M. Luttinger and L. Tisza—954
Dynamics of RbI crystal, T. A. Hoffmann—981(L)
Elastic, piezoelectric, and dielectric properties of $NaClO_3$ and $NaBrO_3$, W. P. Mason—529
Elastic properties of lattices, P. S. Epstein—915
Electrical breakdown paths in single crystals, J. W. Davisson—685
Intercrystalline forces and β-ray absorption, G. Winchester—437(L)
Microstresses in cold-worked metal, N. M. Blachman—698
Oxidation of Cu, use of radioactive Cu tracer, J. Bardeen, W. H. Brattain, W. Shockley—105(A)
Photo-diode and photo-peak characteristics in Ge, S. Benzer—105(A)
Potentials and fields in ionic lattices, J. M. Richardson and W. Shockley—105(A)
Properties of (DKT) crystals, W. P. Mason—705
Structure of ferromagnetic domains, C. Kittel—965
Surface layers on quartz and topaz, D. D'Eustachio—229(L), 522

Dielectrics and dielectric properties
Of (DKT) crystals, W. P. Mason—705
Of $NaClO_3$ and $NaBrO_3$, W. P. Mason—529

Discharge of electricity in gases
Effect of magnetic field on oscillations in hot-cathode arcs, C. J. Gallagher and J. D. Cobine—113(A)
Energy distribution of electrons in high frequency discharges, T. Holstein—367
Excitation of plasma oscillations, D. Bohm—448(A)
Flow of ions between concentric cylinders, C. W. Rice—228(L)
Gas tubes as noise generators, S. Ruthberg—112(A)
He_2 ions, R. Meyerott—671
High level electronic noise source, J. D. Cobine and C. J. Gallagher—119(A)
Initiation of discharge in the thyratron, C. J. Mullin—401
Ionization currents in non-uniform fields, P. L. Morton—358
Oscillations in hot-cathode arcs, J. D. Cobine and C. J. Gallagher—113(A)
Recovery of switching tubes, H. Margenau, F. L. McMillan, Jr., I. H. Dearnley, C. S. Pearsall, and C. G. Montgomery—349

Discharge of electricity in high vacua (see also **Thermionic emission; High voltage tubes and machines**)
Influence of space charge on bunching, L. Brillouin—187

Disintegration and excitation of nucleus (see also **Radioactivity**)
Angular correlation of gamma-rays, G. Goertzel—897
Cross section of $D(d,n)$ He^3 reaction, J. H. Manley, J. H. Coon, and E. R. Graves—101(A)
Cross section of $D(d,p)$ H^3 reaction, A. C. Graves, E. R. Graves, J. H. Coon, and J. H. Manley—101(A)
Disintegrations induced by 100-Mev x-rays, G. C. Baldwin and G. S. Klaiber—259
Excitation-function of γ-radiation, M. Kovacs—895
Excitation of the nucleus ^{206}Pb in α-disintegration of Po, N. Feather—88(L)
Fluorine-proton resonances, L. I. Schiff—891
Of F by protons, resonances, W. E. Bennett, T. W. Bonner, C. E. Mandeville, and B. E. Watt—882
By high energy carbon nuclei, C. Tobias and E. Segrè—89(L)
Of I^{128}, K. Siegbahn and N. Hole—133
Of Ne and A by d-d neutrons, E. R. Graves and J. H. Coon—101(A)
Neutrons from a new reaction, M. Y. Colby and R. N. Little, Jr.—437(L)

Of N by neutrons, H. H. Barschall and M. E. Battat—245
Nomographic charts for nuclear reactions, J. L. McKibben—101(A)
Nuclear reaction (p,pn), J. R. Richardson and B. T. Wright—445(A)
Particles emitted in disintegrations induced by x-rays, G. S. Klaiber, A. E. Luebke, and G. C. Baldwin—789(A)
Radiochemical search for gamma-meson reactions, G. Friedlander, M. Perlman, and L. Pepkowitz—790(A)
Reaction constants of Li^7 (pn) Be^7, H. Argo, A. Hemmendinger, H. Kratz, R. Perry, R. Sherr, R. Taschek, D. Williams—102(A)
Reaction O^{17} $(n, \alpha)C^{14}$, evidence for, E. P. Hincks—770(L)
Relative probability of (d,p) and the (d,n) reactions in Bi, J. M. Cork—563(L)
Resonance fluorescence of nuclei, L. I. Schiff—794(A)
Resonance reactions, E. P. Wigner—606
Resonances in indium, B. D. McDaniel—832
Of Na^{24} and P^{32}, K. Siegbahn—127
Thick target yields with deuteron-proton reactions, E. C. Barker—101(A)
Thresholds for slow neutron induced reactions, L. I. Schiff—562(L); 106(A)
X-radiation and internal conversion from Ru+d, D. T. Eggen and M. L. Pool—446(A)
Yield function and angular distribution of D+D neutrons, W. E. Bennett, C. E. Mandeville, H. T. Richards—101(A)

Dissociation
Of $SiCl_4$ by electron bombardment, R. H. Vought—109(A)

Dynamics
Single particle operators in two-particle form, E. Feenberg—768(L)

Elasticity
Anelastic effects in polycrystalline aluminum, T'ing-Sui Kê—105(A)
Compressional viscosity and sound absorption, F. E. Fox and G. D. Rock—68
Creep behavior of fibers, M. T. O'Shaughnessy—802(A)
Curl in woven fabrics, R. Whitman—802(A)
Of (DKT) crystals, W. P. Mason—705
Dislocation theory of creep, A. S. Nowick and E. S. Machlin—104(A)
Forced vibrations of piezoelectric crystals, H. Ekstein—76
Load-deformation characteristics of celanese and wool, R. W. Work, A. M. Thorne, and M. R. Livingston—803(A)
Microstresses in cold-worked metal, N. M. Blachman—698
Performance of tensile testing machines, H. F. Schiefer and J. M. Blandford—803(A)
Plastic flow of metals, J. H. Hollomon and J. D. Lubahn—775(L)
Propagation of underwater shock waves, M. F. M. Osborne and A. H. Taylor—322
Properties of lattices, P. S. Epstein—915
Of $NaClO_3$ and $NaBrO_3$, W. P. Mason—529
Tensile and torsional properties of textile fibers, L. G. Ray, Jr.—802(A)
Thermodynamic criterion for fracture, E. Saibel—779(L), C. Zener—225(L)

Electrical circuits
Noise in receivers, M. Kac and A. F. J. Siegert—449(A)

Electrical conductivity and resistance
Contact potential difference in crystal rectifiers, W. E. Meyerhof—106(A)
Electrical breakdown paths in single crystals, J. W. Davisson—685
Electrical contact noise, M. H. Greenblatt, P. H. Miller, Jr., and L. I. Schiff—113(A)
Energy of impurity levels in semi-conductors, B. Serin—104(A)
Of metal-amine solutions, low temperatures, S. I. Weissman—571(L)
Persistent currents in metal-ammonia solutions, J. W. Hodgins—568(L)
Photo-diode and photo-peak characteristics in Ge, S. Benzer—105(A)
Of rapidly frozen solutions of Na in liquid ammonia, H. A. Boorse, D. B. Cook, R. B. Pontius, and M. W. Zemansky—92(L); J. G. Daunt, M. Desirant, and K. Mendelssohn—219(L); R. A. Ogg Jr.—93(L), 446(A)
Superconductivity of Pb at 3-cm wave-length, F. Bitter, J. B. Garrison, J. Halpern, E. Maxwell, J. C. Slater, and C. F. Squire—97(L)
Ultrasonic waves and conductivity of salt solutions, F. E. Fox, K. F. Herzfeld, and G. D. Rock—329

Electromagnetic theory
Blackbody radiation, action at a distance, G. N. Plass and J. A. Wheeler—793(A)
Conservation theorems and invariance of the Lagrangian, L. Rosenfeld—794(A)
Convergent quantum electrodynamics, T. A. Welton—793(A)
Dynamical theory of currents in cavity resonators, A. Banos, Jr.—448(A)
Earth-flattening, theory of microwave propagation, C. L. Pekeris—518
Electric field strength in cavity resonant, W. K. H. Panofsky—447(A)
Electrodynamics without point singularities, R. E. Peierls and H. McManus—795(A)
Electron radiation in high energy accelerators, J. Schwinger—798(A)
Energy-angle distribution of radiation, L. I. Schiff—87(L)
Force on conducting tube moving through magnetic field, H. Ekstein—450(A)

Forces on ferromagnets moving electrons, D. L. Webster —446(A)
Quantum theory of damping, W. Heitler—795(A)
Radar echoes from shell splashes, H. Goldstein—232(L)
Reaction of radiation on electron scattering, J. R. Oppenheimer and H. A. Bethe—784(A)
Two-particle problem, action at a distance, J. A. Wheeler—793(A)

Electron diffraction (see also **Electron optics**)
Of C Cl_2NO_2, W. M. Barss and H. J. Yearian—108(A)

Electron optics
Asymmetries of electron microscope objectives, J. Hillier and E. G. Ramberg—113(A)
Spherical aberration in magnetic lenses, L. Marton and K. Bol—447(A)

Electronic tubes
Influence of space charge on bunching, L. Brillouin—187
Initiation of discharge in the thyratron, C. J. Mullin—401

Electrons
Binding energy of polyelectrons, A. Ore—90(L)
Self-energy of the electron, G. Racha—406
Self-energy problem, A. Pais—796(A)
Theory of, C. J. Eliezer—793(A)

Electrons, secondary
Temperature dependence of emission from oxide-coated cathodes, M. A. Pomerantz—33

Energy states of atoms (see also **Spectra, atomic**)
Ground state of Li, Kun Huang—197

Errata
Method of measuring the electric dipole moment, H. K. Hughes—909

Field theory
Five-dimensional theory, K. C. Wang and K. C. Cheng—516

Fission of nucleus
Chemical isolation of delayed neutron activities, A. H. Sneel, J. S. Levinger, R. G. Wilkinson, E. P. Meiners and M. B. Sampson—111(A)
Critical size of slow neutron chain reactors, A. M. Weinberg—115(A)
Energy of delayed neutrons, M. Burgy, L. A. Pardue, H. B. Willard and E. O. Wollan—104(A)
Fission products detected photographically, L. B. Borst and J. J. Floyd—107(A)
Fragments from U^{235}, P. Demers—974(L)
Liquid drop model, R. D. Present, F. Reines, and J. K. Knipp—557(L)
Mass of fission isotopes, R. J. Hayden and L. G. Lewis—111(A)
Pile kinetics, L. W. Nordheim—115(A)
Pile perturbation theory, H. Soodak—115(A)
Properties of 94(239), J. W. Kennedy, G. T. Seaborg, E. Segrè, and A. C. Wahl—555
Radiation from fission products, K. Way and E. P. Wigner—115(A)
Specific ionization by fragments, N. O. Lassen—577
Spontaneous emission of neutrons, G. Scharff-Goldhaber and G. S. Klaiber—229(L)
Stopping power of substances for fission fragments, E. Segrè and C. Wiegand—808
Theory of pile control rods, R. Scalettar and L. W. Nordheim—115(A)
Thresholds for slow neutron induced reactions, L. I. Schiff—106(A); 562(L)

Friction
Coefficient of friction of running yarn, F. B. Breazeale—803(A)

Gases (see also **Kinetic theory**)
Inversion temperatures of He, H_2, and Ne, J. Joffe—766(L)
Variations of viscosity of polyatomic gases with frequency, W. P. Mason—110(A)

Geophysics
Electric quadrupole of earth, W. M. Elsasser—438(L)
Schwarzschild interior solution, N. Rosen and B. Newman—565(L)
Terrestrial magnetism, secular variation. Data on earth's core, W. M. Elsasser—202

High voltage tubes and machines (see also **Methods and instruments**)
Electrostatic generator, R. J. Van de Graaff, W. W. Buechner, W. M. Woodward, L. R. McIntosh, E. A. Burrill, and A. Sperduto—797(A)
Removal of beam from betatron, L. S. Skaggs, G. M. Almy, D. W. Kerst, and L. H. Lanzl—95(L)
Theory of synchrotron, D. Bohm and L. Foldy—249

Humidity
Moisture in tire cords, W. J. Lyons, H. M. Ziifle, M. L. Nelson, and T. Mares—802(A)

Hydrodynamics
Internal waves in the ocean, C. W. Ufford—448(A)
Phenomenological theory of transport processes, B. Leaf —748
Propagation of underwater shock waves, M. F. M. Osborne and A. H. Taylor—322

Ionization by collision
By fission fragments, N. O. Lassen—577
Specific ionization of cosmic-ray mesons in H_2, He, and A, L. I. Skolil—619
Of 25-100 Kv electrons, C. E. Nielsen—444(A)

Ionization by radiation
Theory of ionization yield, U. Fano—44

Ionosphere
Detection of meteors by radio, L. A. Manning, R. A. Helliwell, O. G. Villard, Jr., and W. E. Evans, Jr. —767(L)
Measure of solar activity, M. L. Phillips—119(A)

Ions
Paths of ions in non-uniform crossed fields, N. D. Coggeshall—270

Ions, mobility
Of He ions, R. Meyerott—671

Isotopes
Abundance of He^3, L. T. Aldrich and A. O. Nier—983(L)
Composition of W, Si, and B, M. G. Inghram—119(A); 653
Constitution of Te and W, D. Williams and P. Yuster—118(A)
Effects of initial energies on mass spectra, H. W. Washburn and C. E. Berry—559(L)
Of $_{79}Au^{198}$, S. Jnanananda—812
Manufacture of C^{14}, L. D. Norris, A. H. Snell, E. P. Meiners, Jr., and L. Slotin—110(A)
Mass assignment by resonance neutrons, M. Goldhaber—89(L)
Mass assignment of 2.6 h Ni^{65}, J. A. Swartout, G. E. Boyd, A. E. Cameron, C. P. Keim, and C. E. Larson—232(L)
Mass of fission isotopes, R. J. Hayden and L. G. Lewis—111(A)
Mass of 46-hr. Sm and 9.2-hr. Eu, R. J. Hayden and M. G. Inghram—89(L)
Hg^{198} as source of wave-length standard, J. H. Wiens—910
Particle accelerators as mass analyzers, P. B. Weisz—91(L)
Radioactive isotopes in Os region, L. J. Goodman and M. L. Pool—112(A)
Radioactive isotopes of Pd and Ir, mass assignments, W. Rall—112(A)
Separation of He^3 from He^4, J. Franck—561(L)

Isomers, nuclear (see also **Nuclear structure** and **Radioactivity**)
Paradox on nuclear isomerism, E. Segrè—445(A)

Kinetic theory
Inversion temperatures of He, H_2, and Ne, J. Joffe—766(L)
Motion of particle in temperature gradient, radiometer phenomenon, P. Rosenblatt and V. K. LaMer—385
Phenomenological theory of transport processes, B. Leaf—748

Liquids (see also **Hydrodynamics**)
Instrument lubricant, low hardy coefficient, S. Bloomenthal—104(A)
Liquid helium II, "second sound," C. T. Lane, H. Fairbank, H. Schultz, and W. Fairbank—431(L)
Rheological properties of elastic fluids, H. Goldberg and O. Sandvik—110(A)

Low temperature phenomena (see **Electrical conductivity and resistance**)

Magnetic fields
With small axial variation, C. E. Nielsen—450(A)

Magnetic properties (see also **Nuclear moments and spin**)
Domain patterns on silicon-iron crystals, H. J. Williams—106(A)
Magneto-resistance and domain theory, Fe-Ni alloys, R. M. Bozorth—106(A), 923
Nuclear resonance absorption in hydrogen, E. M. Purcell, R. V. Pound, and N. Bloembergen—986(L)
Paramagnetic losses in manganous salts, R. L. Cummerow and D. Halliday—433(L)
Permeability in ferromagnetic materials at microwave frequencies, C. Kittel—281
Resonance absorption in a single crystal of CaF_2, E. M. Purcell, N. Bloembergen, and R. V. Pound—988(L)
Rotational movements of matter in homogeneous fields, F. Ehrenhaft—119(A)
Structure of ferromagnetic domains, C. Kittel—965
Terrestrial magnetism, secular variation, W. M. Elsasser—202
Unipolar magnetic charges, F. Ehrenhaft—114(A)

Mechanics, quantum—general
Convergent quantum electrodynamics, T. A. Welton—793(A)
Dirac's method of field quantization and older theories, D. Bohm—795(A)
Energy levels of asymmetric rotor, G. W. King—108(A)
Expansibility of solutions in powers of constants, H. J. Bhabha—759
Nuclear coulomb energy, E. Feenberg and G. Goertzel—597
Quantization of higher order equations, G. Rayski—573(L)
Quantum theory of damping; processes involving mesons, W. Heitler—795(A)
Reaction of radiation on electron scattering; theory of damping, J. R. Oppenheimer and H. A. Bethe—796(A)
Redundant zeros in the discrete energy spectra, W. Opechowski—772(L)
Relativistic wave equations, H. J. Bhabha—794(A)
Relativistic wave equations, E. P. Wigner—794(A)
Second quantization and representation theory, E. M. Corson—728
Self-energy of the electron, G. Racha—406
Self-energy problem, A. Pais—796(A)
Statistical hypotheses in stellar dynamics, H. Jehle—538
Suggestion concerning fundamental particles, J. R. Platt—110(A)
Two-particle problem, action at a distance, J. A. Wheeler—793(A)

Mesons (see also **Cosmic radiation**)
Cosmic-ray mesons, B. Rossi—788(A); M. Schein—788(A)
Difficulties of meson theories, S. Kusaka—794(A)
Disintegration of mesons at rest, F. Rasetti—790(A)
Disintegration of slow mesons, M. Conversi and O. Piccioni—874
Mass of mesotron from cosmic-ray measurements, W. B. Fretter—625; W. B. Fretter and R. B. Brode—791(A); D. J. Hughes—791(A)
Mean life of slow mesons, M. Conversi and O. Piccioni—859
Mean lifetime, G. Cocconi and V. Tongiorgi—855

Meson masses by method of elastic collision, L. Le-Prince-Ringuet—791(A)
Multiple scattering mass of meson, H. A. Bethe—821
Particles emitted in disintegrations induced by x-rays, G. S. Klaiber, A. E. Luebke, and G. C. Baldwin—789(A)
Production of heavily ionizing particles by x-rays, M. Schein, A. J. Hartzler, and G. S. Klaiber—435(L)
Production of mesons by protons, H. A. Bethe—787(A)
Radiochemical search for gamma-meson reactions, G. Friedlander, M. Perlman, and L. Pepkowitz—790(A)
Simultaneous registration at two stations of mesons, F. A. Benedetto—817
Stopping power of Pb and Al, E. Fein—567(L)

Meteorology

Measurements in upper atmosphere, N. R. Best, E. Durand, D. I. Gale and R. J. Havens—985(L)

Methods and instruments

Alpha-proportional counter, J. A. Simpson—117(A)
Atmospheric absorption, microwave radiometer, R. H. Dicke, R. Beringer, R. L. Kyhl, and A. B. Vane—340
Bent crystal neutron spectrometer, R. B. Sawyer, E. O. Wollan, K. C. Peterson, and S. Bernstein—791(A)
Bringing beam out of betatron, E. D. Courant and H. A. Bethe—798(A)
Brownian motion for low temperature thermometry, A. W. Lawson and E. A. Long—220(L), 977(L); J. B. Brown and D. K. C. MacDonald—976(L)
C^{6+} in cyclotron, H. York, R. Hildebrand, T. Putnam, and J. G. Hamilton—446(A)
Cloud chamber for airborne observations, W. E. Hazen—445(A)
Coefficient of friction of running yarn, F. B. Breazeale—803(A)
Control equipment for Van de Graaff generator, J. L. McKibben, D. H. Frisch and J. M. Hush—117(A)
Design of linear accelerators, J. C. Slater—799(A)
Displacing electron beam in a synchrotron, J. S. Clark, I. A. Getting, and J. E. Thomas, Jr.—562(L)
Drift tubes for linear accelerator, F. Oppenheimer, L. H. Johnston, and C. Richman—447(A)
Driving high Q cavity, J. R. Woodyard, E. A. Martinelli, W. Toulis, and W. K. H. Panofsky—447(A)
Dynamic condenser electrometer, H. Palevsky, R. K. Swank, and R. Grenchik—117(A)
Effects of initial energies on mass spectra, H. W. Washburn and C. E. Berry—559(L)
Efficiency of frequency modulated cyclotron, L. Foldy and D. Bohm—445(A)
Electric dipole moment, moment of inertia, and internuclear distance of polar molecules, H. K. Hughes—570(L)
Electric field strength in cavity resonant, W. K. H. Panofsky—447(A)
Electron collection in ionization chamber, R. Sherr—450(A)
Electron microscopical studies of cellulose fibers, W. G. Kinsinger and C. W. Hock—802(A)
Electron radiation in high energy accelerators, J. Schwinger—798(A)
Electrostatic generator, R. J. Van de Graaff, W. W. Buechner, W. M. Woodward, L. R. McIntosh, E. A. Burrill, and A. Sperduto—797(A)
Fission product mixtures; mass spectrograph, L. G. Lewis and R. J. Hayden—111(A)
Fission products detected photographically, L. B. Borst and J. J. Floyd—107(A)
Frequency modulated cyclotron characteristics, B. T. Wright and J. R. Richardson—445(A)
Frequency modulated cyclotron, deflector, E. J. Lofgren and B. Peters—444(A)
Frequency modulated Berkeley cyclotron, K. R. MacKenzie and F. H. Schmidt—445(A)
Guide fields; synchrobetatron electron accelerator, H. F. Kaiser and E. C. Greanias—797(A)
Helium cryostat, S. C. Collins—98(L)
Infra-red sensitive phosphors, R. T. Ellickson and W. L. Parker—290
Initiation of discharge in the thyratron, C. J. Mullin—401
Injection technique for betatrons, E. C. Greanias and E. O. Wukasch—797(A)
Low energy neutrons by filtering through graphite, H. L. Anderson, E. Fermi, and L. Marshall—815
Magnetic fields due to dee structures, A. F. Clark—444(A)
Magnetron with water-cooled cathode, R. V. Langmuir and R. B. Nelson—118(A)
Magnetron designs for continuous operation, D. A. Wilbur—118(A)
Manufacture of C^{14}, L. D. Norris, A. H. Snell, E. P. Meiners, Jr., and L. Slotin—110(A)
Master-coincidence method, V. H. Regener—449(A)
Mattauch type mass spectrograph, A. E. Shaw and W. Rall—117(A)
Measuring sound fields, ultrasonic waves, and conductivity of salt solutions, F. E. Fox, K. F. Hertzfeld and G. D. Rock—329
Mechanical-electronic control system, R. Hofstadter—113(A)
Mechanical synthesizer for gas diffraction patterns, H. J. Yearian and W. M. Barss—108(A)
Hg^{198} as source of wave-length standard, J. H. Wiens—910
Microsecond phosphorescent decay, F.-H. Marshall—114(A)
Neutron spectrometer, B. D. McDaniel—832
Noise in receivers, M. Kac and A. F. J. Siegert—449(A)
Noise source, J. D. Cobine and C. J. Gallagher—119(A)
Null method for comparison of ion currents, A. O. Nier, E. P. Ney, and M. G. Inghram—116(A)
One-dimensional Markoffian gaussian random function, A. T. F. Siegert—449(A)
Optical microwave detector, P. H. Miller, Jr. and B. Goodman—110(A)

Orbits of particles in racetrack synchrotron, R. Serber—434(L)
Particle accelerators as mass analyzers, P. B. Weisz—91(L)
Particle scattering camera, S. Rubin—447(A)
Paths of ions in non-uniform crossed fields, N. D. Coggeshall—270
Photographic emulsions showing tracks of ionizing particles, P. Demers—86(L)
Photo-neutron energies, determination of, R. D. O'Neal—1
Pneumatic heat detector, H. A. Zahl and M. J. E. Golay—450(A)
Proposed neutron spectrometer, B. T. Feld—429(L)
Proton linear accelerator, L. W. Alvarez—799(A)
Purdue microwave electron accelerator, R. O. Haxby, E. S. Akeley, A. Ginzbarg, R. N. Smith, H. W. Welch, and R. M. Whaley—797(A)
Racetrack synchrotron, H. R. Crane—800(A)
R-F heating cyclotron filaments, A. E. Hayes, Jr.—220(L)
Recovery of switching tubes, H. Margenau, F. L. McMillan, Jr., I. H. Dearnley, C. S. Pearsall, and C. G. Montgomery—349
Reflection of neutrons by a single crystal, W. H. Zinn—102(A)
Regulation of electrostatic generator, W. E. Bennett, T. W. Bonner, C. E. Mandeville, and B. E. Watt—882
Removal of beam from betatron, L. S. Skaggs, G. M. Almy, D. W. Kerst, and L. H. Lanzl—95(L)
Resonance acceleration of charged particles, E. M. McMillan—800(A)
Rheological properties of elastic fluids, measurement of, H. Goldberg and O. Sandvik—110(A)
Separaton of He^3 from He^4, J. Franck—561(L)
70-Mev G.E. synchrotron, H. D. Pollock, R. V. Langmuir, F. R. Elder, J. P. Blewett, A. M. Gurewitsch, and R. L. Watters—798(A)
Small changes in alternating magnetic fields, W. M. Powell—444(A)
Split anode magnetrons, J. P. Blewett, D. A. Wilbur, and L. D. Roberts—118(A)
Stability of orbits in the synchrotron, N. H. Frank—177
Stability in "racetrack" synchrotron, D. M. Dennison and T. H. Berlin—764
Stability of synchrotron orbits, D. M. Dennison and T. H. Berlin—58
Stopping power of substances for fission fragments, E. Segrè and C. Wiegand—808
Strengths of some model magnets, S. B. Jones—450(A)
Synchrotron radiofrequency system, A. C. Helmholz, J. V. Franck, and J. M. Peterson—448(A)
Theory of microwave spectroscope, W. E. Lamb, Jr.—308
Theory of pile control rods, R. Scalettar and L. W. Nordheim—115(A)
Theory of synchrotron, D. Bohm and L. Foldy—249
Transition from betatron to synchrotron operation, J. P. Blewett—798(A)
Tuning multiple-cavity magnetrons, R. B. Nelson—118(A)
Voltmeter for measurement of very small e.m.f.'s, S. A. Scherbatskoy and R. E. Fearon—96(L)
X-ray diffraction line widths, C. G. Shull—679
X-ray microradiography of distorted crystals, R. Smoluchowski, C. M. Lucht, and M. Mann—318

Mobility of ions (see **Ions, mobility**)

Molecular structure and constants (see also **Spectra, molecular,** etc.)
Energy levels of asymmetric rotor, G. W. King—108(A)
He molecular energy states, R. Meyerott—671
Molecular arrangements in lauryl amine hydrochloride and sodium laurate, R. W. Mattoon—116(A)
Vibrational levels of anharmonic oscillator, D. ter Haar—222(L)

Neutrino (see also **Radioactivity; Scattering of electrons, neutrons and ions**)
Search for radiation losses of 2-Mev electrons, W. W. Buechner and R. J. Van de Graaff—174

Neutrons
Absorbing isotopes in Sm and Gd, R. E. Lapp, J. R. Van Horn, and A. J. Dempster—104(A)
Bent crystal neutron spectrometer, resonance absorption, R. B. Sawyer, E. O. Wollan, K. C. Peterson, and S. Bernstein—791(A)
Bragg reflection of neutrons by a single crystal, W. H. Zinn—102(A)
From C^{12}+D, W. E. Bennett and H. T. Richards—118(A)
Cross sections of In, Au, Ag, Sb, Li, and Hg, W. W. Havens, Jr. and J. Rainwater—107(A), 154
Cross sections of materials for indium resonance neutrons, J. Marshall—107(A)
Delayed neutrons, M. Burgy, L. A. Pardue, H. B. Willard, and E. O. Wollan—104(A)
Determination of photo-neutron energies, R. D. O'Neal—1
Diffraction and absorption, L. B. Borst, A. J. Ulrich, C. L. Osborne, and B. Hasbrouck—108(A)
Diffraction and nuclear resonance structure, L. B. Borst, A. J. Ulrich, C. L. Osborne, and B. Hasbrouck—557(L)
Electron waves in magnetic dipole field, C. L. Critchfield—793(A)
Isotopic absorption in Cd, B. J. Moyer, B. Peters, and F. H. Schmidt—446(A)
Low energy neutrons by filtering through graphite, H. L. Anderson, E. Fermi and L. Marshall—102(A); 815
Mass of, D. J. Hughes—219(L)
Neutron beam studies on B, Cd, and the energy distribution from paraffin, J. Rainwater and W. W. Havens, Jr.—107(A)
Neutron resonances, W. J. Sturm and S. Turkel—103(A)

Neutron spectra, H. T. Richards, L. Speck, and I. H. Perlman—118(A)
Neutrons in the atmosphere, H. M. Agnew, W. C. Bright, and D. K. Froman—102(A)
From a new reaction, M. Y. Colby and R. N. Little, Jr.—437(L)
Phase of neutron scattering, E. Fermi and L. Marshall—103(A)
Polarization and ferromagnetic saturation, F. Bloch, R. I. Condit, and H. Staub—972
Production by cosmic radiation, S. A. Korff and B. Hamermesh—429(L)
Proposed neutron spectrometer, B. T. Feld—429(L)
Radiative capture cross sections, D. J. Hughes—106(A)
Radioactivity of neutron, E. F. Shrader, D. Saxon, and A. H. Snell—791(A)
Reflection on mirrors, E. Fermi and W. H. Zinn—103(A)
Refraction and diffraction by crystals, M. L. Goldberger and F. Seitz—116(A)
Resonance absorption in graphite, S. Bernstein—107(A)
Scattering, absorption resonance studies, J. Rainwater and W. W. Havens, Jr.—107(A); 136
Small capture cross sections, C. O. Muehlhause and M. Goldhaber—85(L)
Spontaneous emission at fission, G. Scharff-Goldhaber and G. S. Klaiber—229(L)
Transmission through magnetized iron, E. M. Fryer—235
Yield function and angular distribution of D+D neutrons, W. E. Bennett, C. E. Mandeville, and H. T. Richards—101(A)

Nuclear moments and spin
Magnetic moments of H^3 and He^3, R. G. Sachs and J. Schwinger—41
Magnetic moments of neutron and deuteron, W. E. Arnold and A. Roberts—766(L)
Nuclear spin, magnetic moment, and hyperfine structure separation by a microwave frequency-modulation method, A. Roberts, Y. Beers, and A. G. Hill—112(A)
Quadrupole moment and radiofrequency spectra of homonuclear diatomic molecules, B. T. Feld—112(A)

Nuclear structure (see also **Disintegration and excitation of nucleus**)
Binding energies of H^3 and He^4, Mu-Hsien Wang—492
Difficulties of meson theories, S. Kusaka—794(A)
Level scheme of Mg^{24} and mass of Na^{24}, R. G. Sachs—572(L)
Liquid drop model, R. D. Present, F. Reiner, and J. K. Knipp—572(L)
Meson theory of nuclear forces, J. L. Lopes—5
Nuclear coulomb energy, E. Feenberg and G. Goertzel—597
Nuclear induction experiment, F. Bloch, W. W. Hansen, and M. Packard—474
Nuclear induction, theory, F. Bloch—460
Paradox on nuclear isomerism, E. Segrè—445(A)
Quadrupole moment interactions, W. A. Nierenberg, N. F. Ramsey, and S. B. Brody—773(L)
Resonance fluorescence of nuclei, L. I. Schiff—761
Resonance levels, L. B. Borst, A. J. Ulrich, C. L. Osborne, and B. Hasbrouck—557(L)
Resonance reactions, E. P. Wigner—606
Resonance reactions and anomalous scattering, E. P. Wigner—15
Saturation in nuclei, E. Feenberg and H. Primakoff—980(L)

Optical constants and properties
Magnetic permeability in ferromagnetic materials at microwave frequencies, C. Kittel—281
Hg^{198} as source of wave-length standard, J. H. Wiens—910
Solarization of manganese-bearing glass, R. L. Collin and A. E. Badger—437(L)
Transmission of superconducting Pb films, A. Wexler—219(L)

Optical instruments (see **Methods and instruments**)

Optical theory
Propagation of radiation, random inhomogeneities, P. G. Bergmann—486

Phosphorescence
Infra-red sensitive phosphors, R. T. Ellickson and W. L. Parker—290

Photography
Photographic emulsions showing tracks of ionizing particles, P. Demers—86(L)

Piezoelectric effect
In (DKT) crystals, W. P. Mason—705
In $NaClO_3$ and $NaBrO_3$, W. P. Mason—529

Proceedings of the American Physical Society
Chicago, Illinois, Meeting June 20–22, 1946—99
Berkeley, California, Meeting July 12–13, 1946—443; Addendum—784
New York, New York, Meeting September 19–21, 1946—784
Charlottesville, Virginia, Meeting September 26–28, 1946—801
Saratoga Springs, New York, Meeting November 2, 1946—989

Proceedings of the American Society for X-Ray and Electron Diffraction
Spring meeting 1946 (titles only)—575

Radar (see also **Electromagnetic theory; Electronic tubes; Electrical circuits** and **Radio**)
Echoes from shell splashes, H. Goldstein—232(L)
Sea echo frequency dependence, H. Goldstein—938

Radiation
Blackbody radiation, action at a distance, G. N. Plass and J. A. Wheeler—793(A)
Energy-angle distribution of radiation, L. I. Schiff—87(L)

Radio (see also **Ionosphere**)
Earth-flattening, theory of microwave propagation, C. L. Pekeris—518
Radiation resistance of loaded antennas, R. C. Raymond and W. Webb—114(A)

Reflection of waves from tropospheric layers, J. B. Smyth and L. G. Trolese—449(A)

Radioactivity (see also **Disintegration of nucleus**)

Absorption curve of 31 sec. $_8O^{19}$ beta-rays, production by thermal neutrons, L. Seren, W. E. Moyer, and W. Sturm—561(L)

Alpha-particles from Ra, W. Y. Chang—632

Angular correlation of gamma-rays, G. Goertzel—897

Of Be^{10}, E. M. McMillan and S. Ruben—123

Beta- and gamma-ray energies, L. C. Miller and L. F. Curtiss—983(L)

Beta-rays from H^3, R. J. Watts and D. Williams—640

Bikini bomb test; atmosphere analyses at Tulsa, R. E. Fearon, A. W. Engle, J. Thayer, G. Swift, and I. Johnson—564(L); gamma-ray anomaly, G. Herzog—227(L); ionization in New York, V. F. Hess and P. Luger—564(L); anomalous gamma-rays, E. D. Weekes and D. F. Weekes—565(L)

Cd and Ag activities, isotopic assignment, A. C. Helmholz—982(L)

Decay of Cb^{94} (6.6 min.), M. Goldhaber and W. J. Sturm—111(A)

Decay scheme for Te^{121}, S. B. Burson, P. T. Bittencourt, R. B. Duffield, and M. Goldhaber—566(L)

Disintegration of $_{17}Cl^{34}$, Ho Zah-Wei—782(L)

Disintegration scheme of Na^{24}, C. S. Cook, E. Jurney and L. M. Langer—985(L)

Excitation of the nucleus^{206} Pb in α-disintegration of Po, N. Feather—88(L)

Fluorine-proton resonances, L. I. Schiff—891

Gamma-rays from Na^{24}, Co^{60}, Y^{88}, angular distribution, W. M. Good—978(L)

Gamma-rays from W, W. M. Schwarz and M. L. Pool—102(A)

Of $_{79}Au^{198}$, S. Jnanananda—812

Half-life of carbon (14), L. D. Norris and M. G. Inghram—772(L)

Half-life of C^{14}, A. F. Reid, J. R. Dunning, S. Weinhouse, and A. V. Grosse—431(L)

Half-life of U^{234}, O. Chamberlain, D. Williams, and P. Yuster—580

Intercrystalline forces and β-ray absorption, G. Winchester—437(L)

Of I^{128}, K. Siegbahn and N. Hole—133

Isomeric transition in Te^{121}, P. T. Bittencourt and M. Goldhaber—780(L)

Isotopes in Cb region, M. L. Wiedenbeck—435(L)

Isotopes in Os region, L. J. Goodman and M. L. Pool—112(A)

Long-life radio-iodine, A. F. Reid and A. S. Keston—987(L)

Long-lived Be^{10}, A. K. Pierce and F. W. Brown, III—779(L)

Manufacture of C^{14}, L. D. Norris, A. H. Snell, E. P. Meiners, Jr., and L. Slotin—110(A)

Mass of 46-hr. Sm and 9.2-hr. Eu, R. J. Hayden and M. G. Inghram—89(L)

Mass spectrometric observation of C^{14}, M. G. Inghram—111(A)

Metastable state of 22 microseconds in Ta^{181}, S. De-Benedetti and F. K. McGowan—569(L)

Mo^{93} and Cb^{94} from Cb, D. N. Kundu and M. L. Pool——111(A)

Ni^{65}, 2.6 hr., E. E. Conn, A. R. Brosi, J. A. Swartout, A. E. Cameron, R. L. Carter, and D. G. Hill—768(L); J. A. Swartout, G. E. Boyd, A. E. Cameron, C. P. Keim, and C. E. Larson—232(L)

Positive particles appearing near beta-ray emitters, L. Smith and G. Groetzinger—96(L); 102(A)

Properties of 94-239, J. W. Kennedy, G. T. Seaborg, E. Segrè, and A. C. Wahl—555

Of K^{44}, theory of β-decay, R. E. Marshak—980(L)

Of radioactive isotopes by deuteron bombardment, E. T. Clarke and J. W. Irvine, Jr.—893

Radioactive isotopes of Pd and Ir, mass assignments, W. Rall—112(A)

Of neutron radioactivity, E. F. Shrader, D. Saxon, and A. H. Snell—791(A)

Recoil of nucleus in beta-decay, J. C. Jacobsen—789(A)

Resonances in indium, B. D. McDaniel—832

Short range alphas, S. M. Dancoff—116(A)

Of Na^{24} and P^{32}, K. Siegbahn—127

Of 2.8d Ru^{97}, W. H. Sullivan, N. R. Sleight, and E. M. Gladrow—778(L)

Rectifiers (see **Electrical conductivity and resistance**)

Relativity

Advance of perihelion of mercury, F. W. Warburton—86(L)

Field theories in five dimensions, H. C. Corben—947

Note on uniform rotation, N. Rosen—93(L)

Observing transverse Doppler effect, P. H. Abelson, A. V. Masket, and N. Rosen—227(L)

Relativistic wave equations, H. J. Bhabha—794(A); E. P. Wigner—794(A)

Schwarzschild interior solution, N. Rosen and B. Newman—565(L)

Schwarzschild solution in an isotopic coordinate, M. Wyman—74

Scattering of electrons, neutrons, and ions (see also **Electron diffraction**)

Angular distribution of 2.5-Mev neutrons by *d*, J. H. Coon, R. W. Davis and H. H. Barschall—104(A)

Cross section of hydrogen for neutrons, D. H. Frisch—792(A)

Diffraction phenomena in scattering of neutrons, E. Amaldi, D. Bocciarelli, and G. C. Trabacchi—103(A)

Elastic backscattering of *d-d* neutrons, J. H. Manley, H. M. Agnew, H. H. Barschall, W. C. Bright, J. H. Coon, E. R. Graves, T. Jorgensen, and B. Waldman—602

Fokker-Planck equation, energy of thermal neutrons, G. C. Wick—103(A)

High energy neutron-proton scattering, J. L. Lopes—5

Multiple scattering, mass of meson, H. A. Bethe—821
Neutron-proton and neutron-carbon cross sections for fast neutrons, C. L. Bailey, W. E. Bennett, T. Bergstralh, R. G. Nuckolls, H. T. Richards, and J. H. Williams—118(A); 583
Phase of neutron scattering, E. Fermi and L. Marshall—103(A)
Radiation losses of 2-Mev electrons, W. W. Buechner and R. J. Van de Graaff—174
Reaction of radiation on electron scattering, radiation damping, H. A. Bethe and J. R. Oppenheimer—451
Reflection of neutrons on mirrors, E. Fermi and W. H. Zinn—103(A)
Resonance reactions and anomalous scattering, E. P. Wigner—15
Scattering and annihilation of positrons, Ho Zah-Wei—224(L)
Scattering of fast neutrons by boron, H. H. Barschall, M. E. Battat, and W. C. Bright—458
Scattering and mass of meson, H. A. Bethe—821
Total cross sections of C and H for neutrons, 35 to 490 kev, D. H. Frisch—589
Total cross sections of D and O for fast neutrons, R. G. Nuckolls, C. L. Bailey, W. E. Bennett, T. Bergstralh, H. T. Richards, and J. H. Williams—805
Of 2.5-Mev neutrons by deuterium, angular distribution, J. H. Coon and H. H. Barschall—592

Scattering of radiation

Secondary electrons
From Ge, B, and Si, L. R. Koller and J. S. Burgess—571(L)

Semi-conductors (see **Electrical conductivity and resistance**)

Solid state (see **Crystalline state**)

Sound (see **Acoustics**)

Spectra, absorption (see also **Absorption**)
Continuous absorption of negative H ion, S. Chandrasekhar—109(A)
Of water vapor in centimeter wave-length range, G. E. Becker and S. H. Autler—300

Spectra, atomic
Configurations of Ti I, Ti II, V II, V III, A. Many—511
Ground state of Li, Kun Huang—197

Spectra, general
Observing transverse Doppler effect, P. H. Abelson, A. V. Masket, and N. Rosen—227(L)
Resolution and pressure broadening of NH_3 spectrum, C. H. Townes—109(A)
Solarization of manganese-bearing glass, R. L. Collin and A. E. Badger—437(L)
Of sun at 88 km, W. A. Baum, F. S. Johnson, J. J. Oberly, C. C. Rockwood, C. V. Strain, and R. Tousey—781(L)

Spectra, molecular (see also **Molecular structure and constants**)
Of NH_3 in microwave region, L. N. Hadley and D. M. Dennison—780(L)
Bands of C, formation of C_2 molecules, G. Herzberg—762
Coriolis contribution to energy of molecule, H. H. Nielsen—184
Effective temperatures of molecules, N. R. Tawde—432(L)
Hyperfine structure in ammonia quadrupole moment in N^{14}, B. P. Dailey, R. L. Kyhl, M. W. P. Strandberg, J. H. Van Vleck and E. B. Wilson, Jr.—984(L)
Infra-red spectrum of heavy water, F. P. Dickey and H. H. Nielsen—109(A)
Inversion spectrum of NH_3, R. Bleaney and R. P. Penrose—775(L), B. P. Dailey, R. L. Kyhl, M. W. P. Strandberg, J. H. Van Vleck and E. B. Wilson, Jr.—984(L), W. E. Good—109(A), 213
Line shapes of NH_3 near 1.25-cm wave-length, C. H. Townes—665
Perturbations in spectrum of AgH, R. F. Schmid and L. Gerö—226(L)
Rotational line of OCS, Stark effect, T. W. Dakin, W. E. Good, and D. K. Coles—560 (L)
Stark and Zeeman effects in NH_3, D. K. Coles and W. E. Good—979(L)
Ultraviolet band spectrum of P_2, E. J. Marais—499
H_2O spectrum near one-centimeter wave-length, C. H. Townes and F. R. Merritt—558(L)

Spectroscopy, technique
Theory of microwave spectroscope, W. E. Lamb, Jr.—308

Superconductivity (see **Electrical conductivity and resistance**)

Thermionic emission of positive ions
From thoriated tungsten, G. A. Jarvis—106(A)

Thermodynamics
Thermodynamic equilibria of higher order, P. W. Bridgman—425; R. Oldenburger—433(L)

Viscosity
Of glass, dissolved gases, W. A. Graaff and A. E. Badger—220(L)
Phenomenological theory of transport processes, B. Leaf—748

Wave mechanics (see **Mechanics, quantum,** etc.)

Wave motion
Internal waves in the ocean, C. W. Ufford—448(A)
Propagation of radiation, random inhomogeneities, P. G. Bergmann—486
Reflection of waves from tropospheric layers, J. B. Smyth and L. G. Trolese—449(A)
Underwater shock waves, M. F. M. Osborne and A. H. Taylor—322

X-rays, absorption
Fine structure in polyatomic molecules, theory of, E. M. Corson—645
K limit of $GeCl_4$, secondary structure, C. H. Shaw—643
X-rays, diffraction, scattering, reflection, refraction, and polarization
Determination of line widths, C. G. Shull—679
Production of heavily ionizing particles by x-rays, M. Schein, A. J. Hartzler, and G. S. Klaiber—435(L)
X-rays, emission
Spectra from thick targets, theory of, P. Kirkpatrick—446(A)
X-radiation and internal conversion from Ru+*d*, D. T. Eggen and M. L. Pool—446(A)